

PV de notes de la matière : Contrôle des produits de la microbiologie industrielle

N° Inscription	Examen	TP
1834000766	19,25	19
1834005187	19,25	18,5
1834005151	19,00	18,25
04092174077	19,50	16,75
1834000897	17,50	19
1834013486	18,25	17,5
04092174088	17,50	17,75
1834001237	17,25	17,75
1734006952	19,00	15
04092174076	16,00	19,25
1834004139	15,50	18,5
1834007564	16,25	16,5
04092174089	15,75	17,25
1834004068	14,75	18
1834013941	15,75	16,25
1834006961	14,50	17,5
1834003781	14,25	17,5
1834004371	15,00	16,25
1834001234	13,25	18,75
1834005316	13,75	18
1734014544	14,25	17
1834003908	14,00	17,25
1734006183	14,75	16
1834000790	14,50	16,25
1836056913	13,75	17,25
1734005001	13,00	18,25
1839063726	14,00	16,75
1834002561	14,50	15,25
1734002663	13,00	17
1734002931	11,75	17,75
4009653	13,25	15,5
1834004362	14,00	14,25
1834007921	13,75	14,5
1834006360	12,75	16
1834000729	13,00	15,5

N° Inscription	Examen	TP
1836055506	11,50	17,25
1834008763	12,75	15,25
1834007598	11,75	16
1534016790	12,25	15,25
1834005416	11,75	16
1834007601	12,50	14,75
1634005618	10,75	17,25
1634007792	14,00	12,25
1734006222	10,75	16,75
1734009325	12,00	14,5
1834005918	9,75	17,5
1734013693	10,25	16
1734009985	8,25	18,5
1836055537	10,00	15,75
1834001235	10,25	15
1834005828	8,50	16
1734003031	7,50	17,5
1734002721	7,75	16,25
1634003571	9,25	13,75
1834002219	7,75	15,5
1834012168	6,50	16
1734016024	6,00	16,75
1634001003	6,50	15,5
1634003678	8,50	12
1834005847	5,75	16
1834005843	6,25	15
1539047727	9,00	10,5
1836057803	6,50	14,25
1834000695	5,50	13,75
171734013941	5,50	11,5
1634003321	5,75	7,5
1634016540	3,50	10,25
04092174070		14
1834002878		13,5
1434013413		13
1834003905	5,00	0