



2025/2026

Filière: Entraînement sportif**Spécialité:** entraînement sportif compétitif**Période:** Semestre 5**Matière:** Batteries des tests sportifs / Section 01 / Groupe 01**PV de délibération par matière (Session normale)**

#	Matricule	Examen	CC	MG	Session
1	232334001506	14.0	17.5	15.4	NORMALE
2	232334033702	3.0	8.0	5.0	NORMALE
3	232334029102	9.0	12.0	10.2	NORMALE
4	212134004145	5.5	11.0	7.7	NORMALE
5	232334034202	1.5	7.0	3.7	NORMALE
6	232334030210	4.0	11.5	7.0	NORMALE
7	171735016142	0.0	0.0	0.0	NORMALE
8	232334033609	1.5	10.0	4.9	NORMALE
9	232334070311	4.5	0.0	2.7	NORMALE
10	232334005910	6.5	15.5	10.1	NORMALE
11	222234000916	3.0	10.0	5.8	NORMALE
12	232336248301	4.5	0.0	2.7	NORMALE
13	232334009207	5.0	17.0	9.8	NORMALE
14	232334042415	5.0	15.0	9.0	NORMALE
15	212134004447	8.5	0.0	5.1	NORMALE
16	232334075820	3.0	15.0	7.8	NORMALE
17	232334030705	1.5	0.0	0.9	NORMALE
18	232335011505	0.0	0.0	0.0	NORMALE
19	232334041006	7.5	18.5	11.9	NORMALE
20	212134003782	0.0	0.0	0.0	NORMALE
21	232334004008	13.0	13.0	13.0	NORMALE
22	232334010417	2.0	13.0	6.4	NORMALE
23	232334016907	6.5	7.5	6.9	NORMALE
24	232334017817	13.0	16.0	14.2	NORMALE
25	232334058915	2.5	11.0	5.9	NORMALE
26	232334010312	13.0	7.0	10.6	NORMALE
27	232334004718	2.0	12.5	6.2	NORMALE
28	222234059803	4.5	14.5	8.5	NORMALE
#	Matricule	Examen	CC	MG	Session
1	232336235410	11.5	17.0	13.7	NORMALE
2	232334045205	7.0	0.0	4.2	NORMALE
3	232333295014	13.0	6.0	10.2	NORMALE

4	232334007218	11.5	18.5	14.3	NORMALE
5	232334100907	7.0	16.0	10.6	NORMALE
6	232334097403	12.0	17.5	14.2	NORMALE
7	232334048211	7.0	15.0	10.2	NORMALE
8	232334010315	12.0	18.5	14.6	NORMALE
9	232334006318	3.0	0.0	1.8	NORMALE
10	232334071403	2.5	8.0	4.7	NORMALE
11	222234041206	14.5	17.5	15.7	NORMALE
12	232334029706	7.0	12.0	9.0	NORMALE
13	232334024906	14.5	18.5	16.1	NORMALE
14	232335149810	1.5	0.0	0.9	NORMALE
15	232334089719	4.0	10.0	6.4	NORMALE

#	Matricule	Examen	CC	MG	Session
1	232334001506	11.0	0.0	11.0	NORMALE
2	232334033702	5.0	0.0	5.0	NORMALE
3	232334029102	6.5	0.0	6.5	NORMALE
4	212134004145	5.0	0.0	5.0	NORMALE
5	232334034202	5.0	0.0	5.0	NORMALE
6	232334030210	6.0	0.0	6.0	NORMALE
7	171735016142	0.0	0.0	0.0	NORMALE
8	232334033609	12.0	0.0	12.0	NORMALE
9	232334070311	1.0	0.0	1.0	NORMALE
10	232334005910	7.5	0.0	7.5	NORMALE
11	222234000916	12.0	0.0	12.0	NORMALE
12	232336248301	5.5	0.0	5.5	NORMALE
13	232334009207	10.0	0.0	10.0	NORMALE
14	232334042415	3.5	0.0	3.5	NORMALE
15	212134004447	15.0	0.0	15.0	NORMALE
16	232334075820	7.0	0.0	7.0	NORMALE
17	232334030705	9.0	0.0	9.0	NORMALE
18	232335011505	0.0	0.0	0.0	NORMALE
19	232334041006	5.0	0.0	5.0	NORMALE
20	212134003782	0.0	0.0	0.0	NORMALE
21	232334004008	4.0	0.0	4.0	NORMALE
22	232334010417	7.5	0.0	7.5	NORMALE
23	232334016907	7.5	0.0	7.5	NORMALE
24	232334017817	8.5	0.0	8.5	NORMALE
25	232334058915	2.5	0.0	2.5	NORMALE
26	232334010312	10.0	0.0	10.0	NORMALE
27	232334004718	6.5	0.0	6.5	NORMALE
28	222234059803	10.0	0.0	10.0	NORMALE

#	Matricule	Examen	CC	MG	Session
1	232336235410	12.0	0.0	12.0	NORMALE
2	232334045205	7.0	0.0	7.0	NORMALE
3	232333295014	10.0	0.0	10.0	NORMALE
4	232334007218	12.0	0.0	12.0	NORMALE

5	232334100907	6.5	0.0	6.5	NORMALE
6	232334097403	15.5	0.0	15.5	NORMALE
7	232334048211	10.0	0.0	10.0	NORMALE
8	232334010315	10.0	0.0	10.0	NORMALE
9	232334006318	2.0	0.0	2.0	NORMALE
10	232334071403	4.5	0.0	4.5	NORMALE
11	222234041206	9.0	0.0	9.0	NORMALE
12	232334029706	4.0	0.0	4.0	NORMALE
13	232334024906	12.5	0.0	12.5	NORMALE
14	232335149810	3.5	0.0	3.5	NORMALE
15	232334089719	4.5	0.0	4.5	NORMALE

#	Matricule	Examen	CC	MG	Session
1	232334001506	12.5	17.0	14.3	NORMALE
2	232334033702	5.0	10.5	7.2	NORMALE
3	232334029102	7.5	13.5	9.9	NORMALE
4	212134004145	7.0	12.0	9.0	NORMALE
5	232334034202	3.5	5.5	4.3	NORMALE
6	232334030210	6.5	9.0	7.5	NORMALE
7	171735016142	0.0	0.0	0.0	NORMALE
8	232334033609	5.5	12.5	8.3	NORMALE
9	232334070311	5.0	0.0	3.0	NORMALE
10	232334005910	4.5	4.5	4.5	NORMALE
11	222234000916	9.5	15.5	11.9	NORMALE
12	232336248301	2.5	0.0	1.5	NORMALE
13	232334009207	5.5	11.5	7.9	NORMALE
14	232334042415	3.0	13.5	7.2	NORMALE
15	212134004447	0.0	10.5	4.2	NORMALE
16	232334075820	5.5	9.5	7.1	NORMALE
17	232334030705	9.0	5.0	7.4	NORMALE
18	232335011505	0.0	0.0	0.0	NORMALE
19	232334041006	5.5	10.5	7.5	NORMALE
20	212134003782	0.0	0.0	0.0	NORMALE
21	232334004008	2.5	12.0	6.3	NORMALE
22	232334010417	1.0	11.0	5.0	NORMALE
23	232334016907	7.5	9.0	8.1	NORMALE
24	232334017817	5.0	12.5	8.0	NORMALE
25	232334058915	4.5	15.0	8.7	NORMALE
26	232334010312	8.5	3.5	6.5	NORMALE
27	232334004718	5.0	11.0	7.4	NORMALE
28	222234059803	6.0	15.0	9.6	NORMALE
#	Matricule	Examen	CC	MG	Session
1	232336235410	10.5	11.0	10.7	NORMALE
2	232334045205	4.5	10.0	6.7	NORMALE
3	232333295014	8.0	15.5	11.0	NORMALE
4	232334007218	13.5	19.0	15.7	NORMALE
5	232334100907	6.5	15.0	9.9	NORMALE
6	232334097403	13.5	18.0	15.3	NORMALE

7	232334048211	9.0	13.5	10.8	NORMALE
8	232334010315	15.5	18.5	16.7	NORMALE
9	232334006318	0.0	0.0	0.0	NORMALE
10	232334071403	3.0	10.0	5.8	NORMALE
11	222234041206	9.0	16.5	12.0	NORMALE
12	232334029706	6.0	8.5	7.0	NORMALE
13	232334024906	12.5	15.0	13.5	NORMALE
14	232335149810	3.0	2.0	2.6	NORMALE
15	232334089719	4.0	11.5	7.0	NORMALE

#	Matricule	Examen	CC	MG	Session
1	232334001506	15.0	0.0	15.0	NORMALE
2	232334033702	6.0	0.0	6.0	NORMALE
3	232334029102	3.0	0.0	3.0	NORMALE
4	212134004145	2.0	0.0	2.0	NORMALE
5	232334034202	5.0	0.0	5.0	NORMALE
6	232334030210	4.0	0.0	4.0	NORMALE
7	171735016142	0.0	0.0	0.0	NORMALE
8	232334033609	10.0	0.0	10.0	NORMALE
9	232334070311	7.0	0.0	7.0	NORMALE
10	232334005910	5.0	0.0	5.0	NORMALE
11	222234000916	13.0	0.0	13.0	NORMALE
12	232336248301	5.0	0.0	5.0	NORMALE
13	232334009207	1.0	0.0	1.0	NORMALE
14	232334042415	5.0	0.0	5.0	NORMALE
15	212134004447	15.0	0.0	15.0	NORMALE
16	232334075820	3.0	0.0	3.0	NORMALE
17	232334030705	7.0	0.0	7.0	NORMALE
18	232335011505	0.0	0.0	0.0	NORMALE
19	232334041006	10.0	0.0	10.0	NORMALE
20	212134003782	0.0	0.0	0.0	NORMALE
21	232334004008	6.0	0.0	6.0	NORMALE
22	232334010417	5.0	0.0	5.0	NORMALE
23	232334016907	10.0	0.0	10.0	NORMALE
24	232334017817	5.0	0.0	5.0	NORMALE
25	232334058915	7.0	0.0	7.0	NORMALE
26	232334010312	1.0	0.0	1.0	NORMALE
27	232334004718	4.0	0.0	4.0	NORMALE
28	222234059803	10.0	0.0	10.0	NORMALE

#	Matricule	Examen	CC	MG	Session
1	232336235410	10.0	0.0	10.0	NORMALE
2	232334045205	5.0	0.0	5.0	NORMALE
3	232333295014	7.0	0.0	7.0	NORMALE
4	232334007218	10.0	0.0	10.0	NORMALE
5	232334100907	10.0	0.0	10.0	NORMALE
6	232334097403	15.0	0.0	15.0	NORMALE
7	232334048211	11.0	0.0	11.0	NORMALE

8	232334010315	15.0	0.0	15.0	NORMALE
9	232334006318	2.0	0.0	2.0	NORMALE
10	232334071403	3.0	0.0	3.0	NORMALE
11	222234041206	11.0	0.0	11.0	NORMALE
12	232334029706	4.0	0.0	4.0	NORMALE
13	232334024906	15.0	0.0	15.0	NORMALE
14	232335149810	5.0	0.0	5.0	NORMALE
15	232334089719	10.0	0.0	10.0	NORMALE

#	Matricule	Examen	CC	MG	Session
1	232334001506	15.0	18.0	16.2	NORMALE
2	232334033702	5.0	12.0	7.8	NORMALE
3	232334029102	9.0	15.5	11.6	NORMALE
4	212134004145	7.0	15.5	10.4	NORMALE
5	232334034202	4.75	14.5	8.65	NORMALE
6	232334030210	6.5	14.5	9.7	NORMALE
7	171735016142	0.0	0.0	0.0	NORMALE
8	232334033609	8.0	13.0	10.0	NORMALE
9	232334070311	4.25	0.0	2.55	NORMALE
10	232334005910	8.5	0.0	5.1	NORMALE
11	222234000916	10.5	13.5	11.7	NORMALE
12	232336248301	3.75	8.0	5.45	NORMALE
13	232334009207	11.25	10.0	10.75	NORMALE
14	232334042415	4.75	16.0	9.25	NORMALE
15	212134004447	3.0	0.0	1.8	NORMALE
16	232334075820	4.25	10.0	6.55	NORMALE
17	232334030705	7.25	13.5	9.75	NORMALE
18	232335011505	0.0	0.0	0.0	NORMALE
19	232334041006	8.75	16.5	11.85	NORMALE
20	212134003782	0.0	0.0	0.0	NORMALE
21	232334004008	8.75	16.5	11.85	NORMALE
22	232334010417	8.0	14.0	10.4	NORMALE
23	232334016907	6.5	12.0	8.7	NORMALE
24	232334017817	12.0	17.0	14.0	NORMALE
25	232334058915	6.0	14.5	9.4	NORMALE
26	232334010312	11.0	17.5	13.6	NORMALE
27	232334004718	9.25	15.5	11.75	NORMALE
28	222234059803	10.5	16.5	12.9	NORMALE

#	Matricule	Examen	CC	MG	Session
1	232336235410	8.0	15.0	10.8	NORMALE
2	232334045205	7.0	15.5	10.4	NORMALE
3	232333295014	7.0	16.0	10.6	NORMALE
4	232334007218	5.0	16.0	9.4	NORMALE
5	232334100907	4.0	15.0	8.4	NORMALE
6	232334097403	9.0	15.0	11.4	NORMALE
7	232334048211	7.0	14.5	10.0	NORMALE
8	232334010315	7.0	15.0	10.2	NORMALE

9	232334006318	0.0	0.0	0.0	NORMALE
10	232334071403	4.0	14.0	8.0	NORMALE
11	222234041206	10.5	15.0	12.3	NORMALE
12	232334029706	0.0	13.0	5.2	NORMALE
13	232334024906	8.0	15.0	10.8	NORMALE
14	232335149810	6.0	16.0	10.0	NORMALE
15	232334089719	3.0	15.0	7.8	NORMALE

#	Matricule	Examen	CC	MG	Session
1	232334001506	16.0	16.0	16.0	NORMALE
2	232334033702	5.5	16.0	9.7	NORMALE
3	232334029102	17.0	17.0	17.0	NORMALE
4	212134004145	10.0	16.5	12.6	NORMALE
5	232334034202	18.0	16.5	17.4	NORMALE
6	232334030210	17.0	16.0	16.6	NORMALE
7	171735016142	0.0	0.0	0.0	NORMALE
8	232334033609	14.0	16.0	14.8	NORMALE
9	232334070311	7.0	16.0	10.6	NORMALE
10	232334005910	13.0	17.0	14.6	NORMALE
11	222234000916	10.0	16.0	12.4	NORMALE
12	232336248301	5.0	16.0	9.4	NORMALE
13	232334009207	13.0	16.5	14.4	NORMALE
14	232334042415	7.0	15.0	10.2	NORMALE
15	212134004447	10.0	15.0	12.0	NORMALE
16	232334075820	15.0	16.0	15.4	NORMALE
17	232334030705	12.0	15.0	13.2	NORMALE
18	232335011505	0.0	0.0	0.0	NORMALE
19	232334041006	12.0	16.0	13.6	NORMALE
20	212134003782	0.0	0.0	0.0	NORMALE
21	232334004008	14.0	16.0	14.8	NORMALE
22	232334010417	15.0	16.0	15.4	NORMALE
23	232334016907	10.0	16.0	12.4	NORMALE
24	232334017817	19.0	18.0	18.6	NORMALE
25	232334058915	8.0	17.0	11.6	NORMALE
26	232334010312	17.0	18.0	17.4	NORMALE
27	232334004718	12.0	16.0	13.6	NORMALE
28	222234059803	16.0	0.0	9.6	NORMALE

#	Matricule	Examen	CC	MG	Session
1	232336235410	19.0	18.0	18.6	NORMALE
2	232334045205	4.0	16.0	8.8	NORMALE
3	232333295014	15.0	15.0	15.0	NORMALE
4	232334007218	19.0	18.0	18.6	NORMALE
5	232334100907	16.0	16.5	16.2	NORMALE
6	232334097403	18.0	17.0	17.6	NORMALE
7	232334048211	14.0	17.0	15.2	NORMALE
8	232334010315	16.0	16.0	16.0	NORMALE
9	232334006318	8.0	8.0	8.0	NORMALE

10	232334071403	2.0	15.0	7.2	NORMALE
11	222234041206	15.0	16.5	15.6	NORMALE
12	232334029706	0.0	13.0	5.2	NORMALE
13	232334024906	17.0	16.0	16.6	NORMALE
14	232335149810	15.0	16.0	15.4	NORMALE
15	232334089719	10.5	16.0	12.7	NORMALE

#	Matricule	Examen	CC	MG	Session
1	232334001506	0.0	16.0	16.0	NORMALE
2	232334033702	0.0	8.5	8.5	NORMALE
3	232334029102	0.0	17.0	17.0	NORMALE
4	212134004145	0.0	11.5	11.5	NORMALE
5	232334034202	0.0	11.0	11.0	NORMALE
6	232334030210	0.0	10.0	10.0	NORMALE
7	171735016142	0.0	0.0	0.0	NORMALE
8	232334033609	0.0	8.5	8.5	NORMALE
9	232334070311	0.0	2.5	2.5	NORMALE
10	232334005910	0.0	13.5	13.5	NORMALE
11	222234000916	0.0	12.0	12.0	NORMALE
12	232336248301	0.0	0.0	0.0	NORMALE
13	232334009207	0.0	17.0	17.0	NORMALE
14	232334042415	0.0	12.5	12.5	NORMALE
15	212134004447	0.0	0.0	0.0	NORMALE
16	232334075820	0.0	12.5	12.5	NORMALE
17	232334030705	0.0	10.5	10.5	NORMALE
18	232335011505	0.0	0.0	0.0	NORMALE
19	232334041006	0.0	17.0	17.0	NORMALE
20	212134003782	0.0	0.0	0.0	NORMALE
21	232334004008	0.0	12.5	12.5	NORMALE
22	232334010417	0.0	13.5	13.5	NORMALE
23	232334016907	0.0	8.0	8.0	NORMALE
24	232334017817	0.0	13.5	13.5	NORMALE
25	232334058915	0.0	8.0	8.0	NORMALE
26	232334010312	0.0	13.5	13.5	NORMALE
27	232334004718	0.0	11.5	11.5	NORMALE
28	222234059803	0.0	12.5	12.5	NORMALE

#	Matricule	Examen	CC	MG	Session
1	232336235410	0.0	6.5	6.5	NORMALE
2	232334045205	0.0	5.5	5.5	NORMALE
3	232333295014	0.0	11.5	11.5	NORMALE
4	232334007218	0.0	16.0	16.0	NORMALE
5	232334100907	0.0	16.5	16.5	NORMALE
6	232334097403	0.0	12.0	12.0	NORMALE
7	232334048211	0.0	15.0	15.0	NORMALE
8	232334010315	0.0	17.5	17.5	NORMALE
9	232334006318	0.0	0.0	0.0	NORMALE
10	232334071403	0.0	7.0	7.0	NORMALE

11	222234041206	0.0	16.0	16.0	NORMALE
12	232334029706	0.0	10.0	10.0	NORMALE
13	232334024906	0.0	17.5	17.5	NORMALE
14	232335149810	0.0	0.0	0.0	NORMALE
15	232334089719	0.0	7.0	7.0	NORMALE

Signature de l'enseignant:

Le:

Page 14 sur 14

—

