People's Democratic Republic of Algeria
Ministry of Higher Education and Scientific Research
Larbi Ben M'hidi University, Oum El Bouaghi
Faculty of Earth and Architecture Sciences
Department of Architecture

Course: Architectural Restoration and Rehabilitation

Presented by: Dr. Farid Dalal

Associate Professor, Class "A"

For third-year students in the Professional Licence in Interior Design and Architecture

2025/2026

Course presentation

Semestre 5	
Teaching Unit	**UEF 5**
Course	**Architectural Restoration and Rehabilitation**
Coefficient	**02**
Credits	**02**

Course Objectives :

- Raising awareness of heritage values,
- Conducting diagnostic assessments on ancient structures (heritage-related or otherwise).
- Developing safeguarding, restoration, and rehabilitation plans for ancient structures.
- Selecting the techniques and methods for the restoration of ancient structures.

Content of the course :

1. Overview of the theoretical foundations of the concept of historical heritage and the different schools of thought.
2. The contents and limits of the various heritage charters.
3. The expansion of the new concept of heritage to environmental assets and cultural landscapes.
4. The issue of patrimonialization: definitions, principles, and methodologies.
5. Measures for the protection and enhancement of heritage: inventory, classification, and various intervention strategies.

Field visits to historical sites and monuments undergoing rehabilitation, along with slide projections and film screenings, will accompany this teaching.

Assessment Method: The student will be required to write a research essay on a topic related to the issues covered in the course.

Bibliographic References : (Books and course packs/handouts, internet sites, etc.)

Table of Contents

Course presentation **02**
Table of Contents **03**
List of figures **06**
General Introduction **07**
Course 1: Theoretical Foundations of the Concept of Heritage **10**
Introduction 11
1. Definition of Heritage 12
2. Origin of the Concept of Heritage 14
3. Values of Heritage 15
4. The Different Schools of Thought in Conservation 16
4.1. Eugène Viollet-le-Duc and Stylistic Restoration 17
4.2. John Ruskin and Integral Conservation 18
4.3. Camillo Boito and Scientific Restoration 18
4.4. Alois Riegl and the Values of the Monument 19
Conclusion 29
Course 2: International Heritage Charters **21**
Introduction 22
1. The Athens Charter (1931) 22
2. The Venice Charter (1964) 23
3. The Washington Charter (1987) 24
4. The Burra Charter (1979) 24
5. Contents of the Charters 25
6. Limitations of the Charters 27
6.1. Lack of Binding Force 27
6.2. Difficulties of Adaptation to Local and Cultural Contexts 27
6.3. Conflicts with Socio-Economic Pressures 27
6.4. Problems of Interpretation of Key Concepts 28
6.5. Gap Between Principles and Operational Realities 28
Conclusion 29
Course 3: The Expansion of the Concept of Heritage **31**
Introduction 32
1. Natural Heritage 32
2. Cultural Heritage 34
3. Architectural and Urban Heritage 35
4. Cultural Landscapes 36
5. Intangible Heritage 37
6. New Concepts 38
Conclusion 39
Course 4: The Issue of Heritage-making (Heritagization) **41**
Introduction 42

1. Definition of Heritagization 43
2. Process of Heritage Recognition 43
3. Criteria for Heritage Identification 44
4. Methodologies of Heritagization 44
4.1. Historical Studies 44
4.2. Architectural Analyses 45
4.3. Social and Cultural Studies 45
5. Actors of Heritagization 45
6. Contemporary Issues and Debates 45
7. Concrete Examples of Heritagization Around the World 46
7.1. The Eiffel Tower in Paris (France) 46
7.2. Machu Picchu (Peru) 46
7.3. The Taj Mahal (India) 47
7.4. Tate Modern in London (United Kingdom) – Industrial Heritage 48
7.5. The Traditional Villages of Shirakawa-gō and Gokayama 48
8. Examples of heritage-making in Algeria 49
8.1. The Casbah of Algiers 49
8.2. The Ksour and the M'Zab Valley (Ghardaïa) 50
8.3. The Ruins of Tipasa 50
8.4. The Old City of Constantine (Medina) 51
8.5. Conclusion 52
course 5: Measures for the Protection and Enhancement of Heritage 54
Introduction 55
1. Heritage Inventory 56
1.1.Identification of Heritage Assets 56
1.2.Documentation and Surveying 57
2. Listing (Classification) 57
2.1.Legal Procedures for Protection 58
2.2.Levels of Protection 59
3. Intervention Strategies 59
3.1.Conservation 60
3.2.Restoration 61
3.3.Rehabilitation 61
3.4.Adaptive Reuse Architectural Conversion) 62
Conclusion 62
Course: 6 Diagnosis of Historic Buildings 64
Introduction 65
1. Historical Analysis 66
2. Pathologies of Historic Buildings 67
3. Structural Diagnosis 68
4. Analysis Methods 69
5.1. Visual Observation 69
5.2. Architectural Surveys 69
5.3. Material Analysis 70
5.4. Non-Destructive and Semi-Destructive Investigation Techniques 71

Conclusion 71
Course 7 : Techniques and Restoration Methods 73
Introduction 74
1. Intervention Principles 75
1.1. Principle of Minimal Intervention 75
1.2. Principle of Reversibility 75
1.3. Principle of Compatibility 76
1.4. Principle of Differentiation and Legibility 76
1.5. Principle of Documentation 76
2. Material Compatibility 77
2.1. Physical and Mechanical Compatibility 77
2.2. Chemical Compatibility 77
2.3. Aesthetic and Heritage Compatibility 78
3. Traditional Construction Techniques 78
3.1. Traditional Masonry 79
3.2. Lime Plasters and Lime Washes 80
3.3. Traditional Roof Structures and Roofing Systems 81
3.4. Rammed Earth and Earthen Construction Techniques 81
4. Contemporary Consolidation Techniques 82
4.1. Grout and Resin Injections 83
4.2. Strengthening with Tie Rods and Discreet Ring Beams 84
4.3. Fiber-Reinforced Polymer (FRP) Strengthening Techniques 84
4.4. Drainage and Drying Systems 84
4.5. Advantages and Limitations of Contemporary Techniques 84
Conclusion 85
Course 8: Rehabilitation and Adaptive Reuse of Historic Buildings 86
Introduction 87
1. Functional Rehabilitation 88
1.1. Definition and Objectives 88
1.2. Principles and Methods 88
1.3. Concrete Examples in Algeria 89
2. Adaptation to Contemporary Uses 89
2.1. Definition and Objectives 90
2.2. Principles and Methods 90
3. Technical Upgrading 91
3.1. Fire Safety 91
3.2. Accessibility for Persons with Reduced Mobility 91
3.3. Energy and Environmental Performance 92
3.4. Seismic reinforcement 92
3.5. Implementation in the Algerian Context 92
4. Examples of Interventions 92
4.1. Rehabilitation of Historic Centers 93
4.2. Adaptive Reuse of Industrial Buildings 94
4.3. Rehabilitation of Residential Heritage 94
Conclusion 94
General Conclusion 96
Bibliography 98

List of figures

Figure 1: Tangible heritage..... 13
Figure 2: The restoration of Notre-Dame of Paris..... 17
Figure 3: Tassili n'Ajjer National Park 33
Figure 4: ksour of ghardaya. 34
Figure 5: Casbah of Algiers..... 35
Figure 6: M'Zab Valley (Ghardaïa)..... 36
Figure 7: Djurdjura mountains 37
Figure 8: Intangible Heritage. 38
Figure 9: Industrial heritage. 39
Figure 10: Machu Picchu..... 47
Figure 11: Taj Mahal 47
Figure 12: Tate Modern in London (United Kingdom) Industrial Heritage..... 48
Figure 13: The Traditional Villages of Shirakawa-gō and Gokayama..... 49
Figure 14: The archaeological site of Tipasa..... 51
Figure 15: The Old City of Constantine (Medina). 52
Figure 16: Medina of Tlemcen. 61
Figure 17: Typical Deterioration Processes in Historic Masonry Structures 68
Figure 18: Digital architectural survey using 3D laser scanning..... 70
Figure 19: Laboratory analysis of historic building materials..... 71
Figure 20: Terrace Architecture (Arabic: Algeria)..... 79
Figure 21: A masonry wall made of local stone coated with lime plaster..... 80
Figure 22: A massive structure..... 82
Figure 23: Structural consolidation by injection. 83
Figure 23: Rehabilitation of the Casbah 93

General Introduction

Architectural heritage constitutes one of the essential pillars of the cultural identity of societies. It is at once a silent witness of history, a reflection of ancestral know-how, a living support of collective memory, and an important lever for sustainable development. In a world marked by accelerated urbanization, profound social transformations, and increasing economic pressures, the safeguarding and enhancement of built heritage have become major challenges for architects, urban planners, public decision-makers, and societies as a whole.

This course entitled Architectural Restoration and Rehabilitation aims to train students in the theoretical, ethical, legal, and technical principles required for responsible intervention on historic built heritage. It is not merely a matter of learning repair techniques, but of developing a comprehensive, critical, and interdisciplinary vision of heritage: understanding its conceptual evolution, mastering the international and national frameworks for its protection, and knowing how to intervene in a respectful, sustainable, and context-appropriate manner.

Heritage is not a fixed entity. It results from an ongoing process of social and cultural construction. What is considered heritage today was often, in the past, merely an ordinary building. Conversely, a prestigious monument may lose its status if society no longer recognizes its value. Understanding this dynamic dimension is essential before any concrete intervention.
The course is structured around eight Courses that progressively cover the entire discipline:

Course 1 lays the theoretical foundations of the concept of heritage and presents the major schools of thought that have shaped the history of conservation.
Course 2 examines international charters that form the ethical and doctrinal framework of reference.
Course 3 analyzes the contemporary expansion of the concept of heritage (natural, cultural, urban, landscape, intangible, industrial, and vernacular).
Course 4 addresses the issue of patrimonialization: how does a property become heritage?
Course 5 presents protection measures and intervention strategies (inventory, listing, conservation, restoration, rehabilitation, adaptive reuse).
Course 6 is devoted to the diagnosis of historic buildings, a scientific step prior to any intervention.
Course 7 details restoration techniques and methods.
Course 8 finally explores the rehabilitation and functional reconversion of historic buildings.

The ultimate objective is to train professionals capable not only of mastering the technical tools of restoration and rehabilitation, but also of understanding the cultural, social, ethical, and economic dimensions underlying any intervention on heritage. Restoring or rehabilitating a historic building always means intervening in the collective memory and identity of a society.

This course material is intended to serve both as a theoretical resource and a practical tool to support students in their academic training and future professional practice.

Course 1: Theoretical Foundations of the Concept of Heritage

Introduction

Architectural heritage today constitutes one of the fundamental pillars of the cultural identity of societies. It is both a silent witness to history, a reflection of ancestral know-how, and a living support of collective memory. However, the very notion of heritage is neither universal nor timeless. It is the result of a gradual construction shaped by intellectual, philosophical, and societal developments.

Before addressing restoration and rehabilitation techniques, it is essential to understand the theoretical foundations that underpin our relationship with heritage. This first course aims to establish the conceptual framework by answering the following fundamental questions:

- What is heritage and how can it be defined?
- How did the concept of heritage emerge and evolve over time?
- What are the different values currently attributed to heritage assets?
- Which major schools of thought have shaped the philosophy of conservation and architectural restoration?

Understanding these foundations is crucial, as any intervention on historic buildings (whether conservation, restoration, or rehabilitation) relies on a prior theoretical perspective. Depending on whether one adopts the approach of Eugène Viollet-le-Duc, John Ruskin, Camillo Boito, or Alois Riegl, intervention choices may differ significantly: should the work be completed by restoring it to its original style? Should it be allowed to age naturally with dignity? Or should it be treated as a scientific document or as a living entity bearing multiple values?

This course will therefore enable a transition from an intuitive and emotional perception of heritage to a structured and critical reflection. It will provide the theoretical foundation for the subsequent chapters, which will address international charters, patrimonialization processes, and practical intervention methods.

1. Definition of Heritage

The term heritage originates from the Latin *patrimonium*, which initially referred to property inherited from the father (*pater*) or, more broadly, to family assets transmitted through inheritance. In its original sense, it therefore had a primarily legal and economic dimension. Over time, particularly from the 19th century onward with the emergence of conservation movements, this concept has undergone a profound transformation to encompass much broader cultural, historical, artistic, and symbolic dimensions (Choay, 2001).

Today, in the field of architectural restoration and rehabilitation, heritage is generally defined as the set of tangible and intangible assets, created or transformed by human beings, to which a society or community assigns a particular cultural, historical, artistic, scientific, social, or symbolic value, and which it chooses to protect and transmit to future generations (UNESCO, 1972).

This definition highlights three essential elements: the notion of inheritance from the past, the collective recognition of one or more values, and the responsibility of intergenerational transmission. Therefore, an asset does not become heritage solely by its material existence, but through a process of social recognition that assigns it a meaning that goes beyond its original function (Riegl, 1903/1982).

A distinction is generally made between **tangible heritage** (Figure 1), which consists of physical objects such as monuments, buildings, architectural complexes, and sites, and **intangible heritage**, which encompasses practices, know-how, oral traditions, and living cultural expressions. In the context of this course, the focus is placed on **architectural and urban heritage**, which includes individual or grouped architectural works, historic urban fabrics, monumental ensembles, and structures that bear witness to a civilization, a significant evolution, or a historical event.



Figure 1: Tangible heritage. Source: https://lechodalgerie.dz/consecration-de-plusieurs-annees-de-labeur-lalgerie-porte-son-patrimoine-materiel-a-luniversalite/

At the international level, the *Convention Concerning the Protection of the World Cultural and Natural Heritage*, adopted by UNESCO on November 16, 1972, defines cultural heritage as including:

Monuments: architectural works, works of monumental sculpture and painting, elements or structures of an archaeological nature, inscriptions, cave dwellings, and combinations of features, which are of outstanding universal value from the point of view of history, art or science;

Groups of buildings: groups of separate or connected buildings which, because of their architecture, their homogeneity or their place in the landscape, are of outstanding universal value from the point of view of history, art or science;

Sites: works of man or the combined works of nature and man, including areas such as archaeological sites, which are of outstanding universal value from the historical, aesthetic, ethnological or anthropological point of view (UNESCO, 1972, Article 1).

2. Origin of the Concept of Heritage

The modern concept of cultural heritage has its earliest roots in Antiquity, where the idea of a shared legacy already appears, particularly through the preservation of temples, public monuments, and sacred objects considered collective goods. However, it was not until the Italian Renaissance that the early signs of an organized heritage awareness emerged, with the formation of private collections and artistic treasures that valued works of the past as testimonies of ancient greatness (Pomian, 1990).

In Europe, the true foundations of the contemporary concept developed from the late eighteenth century, in the context of the French Revolution. The massive destruction of religious and royal buildings, described as vandalism by Abbé Grégoire in 1793, triggered a strong reaction. Property confiscated from the Church, the nobility, and the Crown became national property, transformed into a heritage belonging to the entire Nation, whose protection and transmission to future generations became the responsibility of the State (Babelon and Chastel, cited in Le Hégarat, 2015; French Ministry of Culture, 2013). It was during this period that public heritage policies emerged, with the creation of institutions responsible for inventorying and protecting monuments.

In the nineteenth century, the concept was enriched and professionalized under the influence of Romanticism and nationalist movements. In France, figures such as Victor Hugo and Prosper Mérimée helped raise public awareness, while the creation of the Historic Monuments Service in 1837 marked a decisive step. Eugène Viollet-le-Duc developed an interventionist approach to restoration, seeing monuments as historical documents that should be “completed” in order to restore stylistic unity. In England, John Ruskin opposed this view, advocating for full conservation and respect for the patina of time, considering any restoration as a form of destruction (Yazdani Mehr, 2019).

At the turn of the twentieth century, Austrian art historian Alois Riegl offered a more nuanced analysis in his work *The Modern Cult of Monuments* (1903), classifying the different values attributed to monuments (age value, historical value, use value, artistic value). This reflection marked the transition from an intuitive approach to a scientific and pluralistic understanding of heritage. At the same time, the first international cooperations emerged with the Athens Charter of 1931, which laid the foundations for collective conservation of historic monuments, followed

by the Venice Charter of 1964, which codified the principles of authenticity and integrity (ICOMOS, 1964).

In Algeria, the concept of cultural heritage developed within a colonial and postcolonial context. During the French colonial period, legislation on historic monuments (laws of 1913, 1930, and 1941) was applied to sites and buildings in the country. After independence, Ordinance No. 67-281 of December 20, 1967, constituted the first major national protection measure. Law No. 98-04 of June 15, 1998, on the protection of cultural heritage marked a major step by broadening the definition to include immovable, movable, and intangible assets inherited from the various civilizations that have occupied the territory, from prehistory to the present day. This law situates heritage protection within both a national and universal perspective, in harmony with UNESCO international conventions (Law No. 98-04, 1998, Articles 1 and 2).

Thus, the concept of heritage is not fixed: it is the result of a progressive historical and cultural construction, evolving from a legal and familial meaning to a collective, national, and then universal dimension. This evolution explains the diversity of conservation doctrines that will be examined in the following section of this chapter.

3. Values of Heritage

A property becomes heritage only because a society assigns it one or more values that go beyond its original utility. These values, which vary according to periods, cultures, and contexts, constitute the very foundation of the recognition and protection of architectural heritage.

The Austrian art historian Alois Riegl was among the first to provide a systematic analysis of these values in his seminal work *The Modern Cult of Monuments* (1903). He distinguishes between **values of the past** (age value, historical value, and commemorative value) and **values of contemporaneity** (use value and artistic value), emphasizing that these values are often in tension and that none is absolute.

Historical value is one of the most fundamental. It lies in the ability of a monument or site to bear witness to a specific period, event, or technical or social development. The building thus becomes an irreplaceable document that allows the reconstruction of the past. Artistic or aesthetic value, on the other hand, refers to the formal, stylistic, decorative, or spatial quality

of the work. It may concern the harmony of proportions, mastery of materials, or the expression of a specific artistic movement, whether it is a major monumental creation or a more modest work that has acquired cultural significance over time (ICOMOS, Venice Charter, 1964, Article 1).

Social value expresses the role of heritage in shaping collective identity and fostering a sense of belonging within a community. A building or urban fabric becomes a living reference that strengthens social cohesion, transmits know-how, and participates in the daily life of inhabitants. Symbolic value, often linked to Riegl's commemorative value, goes beyond material aspects to embody deeper meanings: commemoration of a founding event, representation of national or religious identity, or expression of collective memory. It gives the monument an emotional and spiritual dimension that makes it irreplaceable in the eyes of society.

Other values complement this analytical framework. Age value (*Alterswert*), as emphasized by Riegl and influenced by John Ruskin, highlights the patina of time, traces of wear, and material authenticity that testify to centuries of existence. It sometimes contrasts with use value, which prioritizes the current functionality of the building and its ability to meet contemporary needs without excessively altering its integrity. Finally, scientific or technical value highlights the information that monuments provide about ancient construction techniques, materials, or lost structural systems.

At the international level, the UNESCO Convention concerning the Protection of the World Cultural and Natural Heritage (1972) explicitly recognizes historical, artistic, and scientific values as criteria for inscription on the World Heritage List. The Venice Charter (1964) similarly emphasizes the need to safeguard the aesthetic and historical values of monuments while respecting their authenticity and integrity.

4. The Different Schools of Thought in Conservation

The theoretical approaches to architectural conservation and restoration developed during the nineteenth and early twentieth centuries through several schools of thought that reflect sometimes opposing philosophical, aesthetic, and scientific perspectives. These doctrines continue to strongly influence contemporary practices, as they define the ethical principles and intervention choices applied to monuments and historic urban fabrics.

4.1. Eugène Viollet-le-Duc and Stylistic Restoration

Eugène Emmanuel Viollet-le-Duc (1814–1879) represents the school of stylistic restoration. In his famous article Restauration from the *Dictionnaire raisonné de l'architecture française du XIe au XVIe siècle*, he defines restoration as the act of re-establishing a building in a complete state that may never have existed at any given time (Viollet-le-Duc, 1854–1868, as cited in Choay, 1992; histoire-image.org).

For Viollet-le-Duc, the architect-restorer must act as both a rationalist and a creator: he completes, harmonizes, and even corrects the building in order to restore an ideal stylistic unity, based on a deep understanding of the constructive principles of the historical period. This interventionist approach shaped major restoration campaigns in France, such as the restoration of the fortified city of Carcassonne, Notre-Dame of Paris (Figure 2), and the Château de Pierrefonds. It prioritizes stylistic coherence and architectural structure, sometimes at the expense of the successive historical layers of the building



Figure 2: The restoration of Notre-Dame of Paris. Source : https://www.brgm.fr/en/news/press-release/research-development-agreement-restore-dame-cathedral-paris

4.2. John Ruskin and Integral Conservation

In contrast, the English thinker John Ruskin (1819–1900) strongly advocated for integral conservation. In his major work *The Seven Lamps of Architecture*, published in 1849, he sharply criticized restoration, describing it as the most total destruction that a building can suffer (Ruskin, 1849).

For Ruskin, a monument is a living testimony of time and human labour; its value lies precisely in its material authenticity, its patina, and its traces of wear. Any intervention aimed at returning it to a presumed earlier state is considered a form of falsification. He therefore promoted careful preventive maintenance, without additions or reconstruction, an approach that deeply influenced the Arts and Crafts movement and the Society for the Protection of Ancient Buildings (SPAB), founded in 1877.

4.3. Camillo Boito and Scientific Restoration

Camillo Boito (1836–1914), an Italian architect and theorist, proposed an intermediate position known as scientific restoration. In his writings, particularly *Conservare o restaurare* (1893) and during various Italian congresses, he criticized both Viollet-le-Duc's creative approach and Ruskin's radical rejection of restoration.

Boito emphasized the need for rigorous documentation, stratigraphic analysis of buildings, and respect for the successive contributions of different historical periods. Interventions should be minimal, reversible, distinguishable from the original fabric, and guided by scientific criteria rather than stylistic considerations. He also formulated eight practical principles for restoration, including the distinction in style and materials between old and new parts, as well as the obligation to document and make all interventions visible.

This approach marked an important step toward a more methodical and historically respectful conservation practice (Boito, 1893).

4.4. Alois Riegl and the Values of the Monument

Finally, the Austrian art historian Alois Riegl (1858–1905) made a decisive contribution with his essay *The Modern Cult of Monuments*, published in 1903. He offers a systematic analysis of the values attributed to monuments, distinguishing between memory-based values (age value, historical value, and commemorative value) and contemporary values (use value and artistic value). Riegl emphasizes that these values are often in conflict and that none should prevail absolutely.

His pluralistic and relativistic approach marks the transition toward a modern theory of conservation, where intervention decisions are based on a balanced assessment of different values rather than a single doctrine.

These four major schools of thought (stylistic restoration, integral conservation, scientific restoration, and value-based theory) are not merely historical. They continue to inform contemporary debates on restoration and rehabilitation, particularly in contexts where authenticity, current use, and cultural identity are in tension. Their study therefore provides an essential foundation for understanding the principles later codified in international charters.

Conclusion

Architectural heritage is not an objective and immutable reality, but rather the result of a progressive historical and cultural construction. As we have seen, the concept originates from a long evolution ranging from Roman legal meanings to contemporary international recognition. This development has been marked by a growing awareness that built heritage constitutes a valuable collective legacy, for which society assumes responsibility in transmitting to future generations.

The current definition of heritage highlights three essential dimensions: its character as inherited legacy, the collective recognition of multiple values, and the intention of transmission. The different schools of thought reflect these theoretical tensions. Viollet-le-Duc’s stylistic restoration prioritizes formal coherence and creative intervention, while John Ruskin’s integral conservation defends material authenticity and the patina of time. Between these two extremes, Camillo Boito’s scientific restoration introduces a methodical approach respectful of historical layers, and Alois Riegl proposes a pluralistic vision based on a balanced analysis of the

monument's values. These doctrines, far from being obsolete, continue to influence conservation and restoration practices worldwide.

Thus, this first course establishes the conceptual and philosophical foundations upon which all future interventions on architectural heritage are based. It calls for a critical and nuanced approach, essential for any architect, urban planner, or heritage professional faced with the challenges of safeguarding and enhancing historic built environments.

Course 2: International Heritage Charters

Introduction

International charters constitute an essential ethical and methodological framework for the conservation and restoration of architectural heritage. They translate into common principles the theoretical reflections developed during the nineteenth and early twentieth centuries, while taking into account contemporary realities.

These texts, adopted within a context of increasing international cooperation, aim to harmonize practices while respecting the cultural and national specificities of each country. They mark the transition from national or individual approaches toward a shared vision of heritage conservation as a common good of humanity.

Although these charters are not legally binding, they exert a strong moral and technical influence on national legislation and on practical interventions in the field.

1. The Athens Charter (1931)

The Athens Charter for the Restoration of Historic Monuments, adopted in October 1931 during the First International Congress of Architects and Technicians of Historic Monuments, organized under the auspices of the League of Nations, represents the first major international document in the field of conservation. Drafted in seven main resolutions, it laid the foundations for supranational cooperation.

Among its key recommendations are the establishment of international organizations providing guidance and acting at an operational level, the submission of restoration projects to informed critique in order to avoid errors, and the gradual abandonment of excessive full reconstructions in favor of regular and continuous maintenance of buildings. The Charter emphasizes respect for the historical and artistic work of the past, without excluding any particular style, and advocates maintaining the use of monuments by assigning them functions compatible with their historical or artistic character.

It also highlights the need for national legislation to protect listed monuments, the preservation of their surroundings, and the importance of public education, firmly asserting that the best guarantee for the conservation of monuments and works of art lies in the respect and attachment of the people themselves. Finally, it recommends close collaboration between archaeologists

and architects, as well as strict protection of historic sites through surveillance systems (International Congress of Athens, 1931; ICOMOS, 2000).

2. The Venice Charter (1964)

The *International Charter for the Conservation and Restoration of Monuments and Sites*, adopted in Venice in 1964 during the Second International Congress of Architects and Technicians of Historic Monuments and approved by ICOMOS in 1965, remains the fundamental reference text to this day.

It significantly broadens the concept of the historic monument to include not only major architectural works but also more modest structures that have acquired cultural significance over time, as well as urban or rural sites that bear witness to a particular civilization, a significant development, or a historical event (Article 1).

The Charter clearly distinguishes between conservation, which aims to maintain the integrity of a monument through continuous maintenance (Article 4), and restoration, which must be limited to revealing the aesthetic and historical values of the monument while respecting its original material and authentic documents (Article 9). It prohibits conjectural reconstructions and stylistic additions, requires that interventions be reversible and distinguishable from the original fabric, and emphasizes the obligation of rigorous documentation before, during, and after any intervention.

Article 2 highlights that conservation and restoration constitute a discipline that calls upon all sciences and techniques capable of contributing to the study and safeguarding of monumental heritage. Furthermore, the Charter recommends assigning monuments a socially useful function while preserving their integrity and stresses the importance of conserving their setting and environment (ICOMOS, 1964).

3. The Washington Charter (1987)

Adopted by the General Assembly of ICOMOS in Washington, D.C., in October 1987, the *International Charter for the Conservation of Historic Towns and Urban Areas*, commonly known as the Washington Charter, complements the Venice Charter by extending its scope to urban heritage as a whole. It applies to cities of all sizes, as well as to historic centers and districts, including their natural or built environments.

The Charter affirms that the conservation of historic towns must be an integral part of economic and social development policies, as well as urban planning at all levels. It identifies the key qualities to be preserved: the historic character of the city expressed through its urban form (layout and plot pattern), the relationships between buildings and open spaces, the appearance of buildings (structure, volume, style, materials, color, and decoration), the relationship with the natural or man-made environment, and the various functions acquired over time. Any alteration of these qualities would compromise the authenticity of the historic town.

The Charter advocates for harmonious adaptation to contemporary life and emphasizes the essential role of inhabitants in the success of conservation programs (ICOMOS, 1987).

4. The Burra Charter (1979)

The Burra Charter, or the *Australia ICOMOS Charter for Places of Cultural Significance*, adopted in 1979 in Burra (Australia) and revised in 1999 and 2013, introduces an innovative approach based on cultural values (values-based management). Unlike earlier charters primarily focused on European monuments, it is better adapted to non-European contexts, vernacular heritage, and community values.

The Charter defines a methodological process in three main stages: understanding the cultural significance of a place (including its aesthetic, historical, scientific, social, or spiritual values), developing appropriate management policies, and implementing conservation actions while monitoring outcomes. It emphasizes the active participation of concerned communities, the preservation of authenticity and integrity, and the possibility of a reasoned evolution of the place.

This charter has significantly influenced international practices by promoting a more inclusive, contextual, and flexible approach to heritage management (Australia ICOMOS, 2013).

5. Contents of the Charters:

The international charters presented above converge toward a set of common principles that today form the ethical and methodological foundation of the conservation and restoration of architectural heritage. Although formulated at different periods, these principles are structured around three main axes: conservation, restoration, and the protection of historic sites. They aim to ensure respect for authenticity, integrity, and cultural significance while enabling responsible management in response to contemporary needs.

The fundamental principle of conservation is based on the preventive and continuous maintenance of monuments and sites. According to the Venice Charter (1964), conservation is defined as all operations aimed at maintaining the material and cultural integrity of a property through regular maintenance (Article 4). It should be considered the first and most important safeguarding measure, as it helps avoid heavy and costly interventions. The Charter emphasizes that conservation is not limited to physical preservation but also includes assigning a socially useful function to the monument, provided that this function respects its historical and artistic character (Article 5). The Athens Charter (1931) had already laid the groundwork for this approach by recommending regular maintenance rather than radical restoration, while the Burra Charter (1979, revised 2013) reinforces this idea by stating that conservation should retain the cultural significance of a place by changing “as much as necessary but as little as possible” (Article 3.1). This so-called cautious approach prioritizes respect for the existing fabric, uses, and associated meanings of the place.

Restoration, on the other hand, is considered an exceptional intervention that must be strictly controlled. The Venice Charter defines it as an operation aimed at revealing the aesthetic and historical values of a monument, based exclusively on respect for original material and authentic documents (Article 9). It firmly prohibits conjectural reconstruction and stylistic additions, stating that any reconstruction must be ruled out, and that modern additions must be recognizable and reversible (Articles 9, 12, and 15). Interventions must be distinguishable from original elements, both in materials and style, to avoid falsifying the monument’s history. The Washington Charter (1987) extends these principles to urban heritage, emphasizing the preservation of urban form, spatial relationships, and historical functions, while allowing for

harmonious adaptation to contemporary life without compromising the overall authenticity of the urban fabric (Principles 2 and 4). The Burra Charter goes further by adopting a values-based approach: restoration must be preceded by a thorough understanding of the cultural significance of a place and should aim to retain this significance without distortion or conjecture (Articles 3.2 and 6).

Finally, the protection of historic sites occupies a central place in all charters. The Athens Charter (1931) already recommended strong national legislation, the protection of the surroundings of monuments, and public education as essential safeguards. The Venice Charter extends this protection to the built setting and immediate environment, recognizing that a monument cannot be isolated from its context (Article 1). The Washington Charter emphasizes integrated conservation of historic towns and districts, which should be part of economic and social development policies as well as urban planning strategies (Principle 1). It explicitly identifies elements to be preserved: urban layout, relationships between built and open spaces, the appearance of buildings (structure, volume, materials, color), relationships with the natural environment, and functions acquired over time. Any alteration to these elements would compromise the authenticity of the historic city. The Burra Charter complements this perspective by requiring the conservation of visual settings and relationships that contribute to cultural significance (Article 8), while promoting active community participation.

Beyond these specific principles, the charters share several cross-cutting requirements: rigorous documentation at all stages (before, during, and after intervention), the use of modern scientific and technical methods, when necessary (Venice Charter, Article 2), preference for traditional techniques and materials while accepting proven contemporary solutions (Burra Charter, Article 4.2), and the involvement of local communities to ensure the sustainability of conservation actions.

These shared principles have helped establish a coherent international doctrine while allowing flexibility for adaptation to national and cultural contexts. They form the foundation upon which current legislation, diagnostic methods, and restoration and rehabilitation projects are based, including in Algeria, where Law No. 98-04 is largely inspired by these international references.

6. Limitations of the Charters

Despite their historical importance and international influence, heritage charters present several limitations that hinder their effective implementation, particularly in developing countries or in specific cultural contexts such as those of the Maghreb. These limitations relate both to their nature (non-binding texts), their sometimes overly general content, and the practical difficulties of implementation on the ground.

6.1.Lack of Binding Force

The first major limitation lies in the non-binding nature of the charters. Adopted by international organizations such as ICOMOS or UNESCO, they do not have legal force and depend entirely on the political will of states to be translated into national legislation. Many countries sign these charters without necessarily having the human, technical, or financial resources required for their implementation.

6.2.Difficulties of Adaptation to Local and Cultural Contexts

A second important limitation concerns adaptation to local and cultural contexts. The early charters (Athens 1931 and Venice 1964) were mainly drafted by European experts within a framework centered on Western monumental heritage. They promote a notion of authenticity based on materiality and the fixity of buildings, which creates difficulties in cultures where vernacular architecture is living, evolving, and often rebuilt according to oral traditions. The Burra Charter (1979, revised 2013) attempted to address this Eurocentric bias by introducing a values-based approach and community participation, but its application remains limited in many Global South countries (ICOMOS, 2014).

6.3.Conflicts with Socio-Economic Pressures

Thirdly, the charters face implementation challenges due to socio-economic pressures. In many historic cities, conservation conflicts with urgent needs for housing, modern infrastructure, and economic development. Demographic pressure, rapid urbanization, and real estate speculation threaten historic urban fabrics. The Washington Charter (1987), which emphasizes integrating conservation into development policies, often remains theoretical when local authorities prioritize modernization projects over preservation. In cities such as Constantine or the Casbah of Algiers, for example, residents face accelerated deterioration due to lack of maintenance, water infiltration, and uncontrolled transformations, while rehabilitation projects struggle to

balance heritage protection with improved living conditions (Benbouzid, 2019; UNESCO, 2022).

6.4.Problems of Interpretation of Key Concepts

Another limitation lies in the interpretation of key concepts. Notions such as authenticity, integrity, and historical value are subject to different readings depending on cultures and periods. The Venice Charter prohibits hypothetical reconstructions, yet in practice many restoration projects continue to rebuild missing elements based on subjective interpretations. Similarly, the distinction between conservation and restoration is not always clear on the ground, sometimes leading to excessive interventions or, conversely, harmful inaction. The Burra Charter attempts to address these ambiguities through a values-based approach, but it requires expertise and coordination that not all countries can mobilize.

6.5.Gap Between Principles and Operational Realities

Finally, the charters suffer from a gap between principles and operational realities. They assume the existence of strong institutions, reliable databases, specialized training in restoration, and skilled craftsmen trained in traditional techniques. However, in many contexts these conditions are not met. The lack of continuous training for architects and contractors, the scarcity of compatible traditional materials, and weak control mechanisms explain why many listed sites continue to deteriorate despite their protected status.

Despite these limitations, the charters remain an essential reference framework. They provide universal ethical guidelines while allowing necessary adaptation to local contexts. Their effectiveness depends on their integration into national legislation, appropriation by local stakeholders, and the establishment of stronger monitoring and evaluation mechanisms.

Note It is important to note that there are many other international charters and doctrinal texts that complement or expand the four main charters studied in this course. Among the most significant, one may cite: the Florence Charter on Historic Gardens (1981), the Nara Document on Authenticity (1994), the Charter on Built Vernacular Heritage (1999), the Krakow Charter (2000), the Vienna Memorandum on World Heritage and Contemporary Architecture in Historic Urban Landscapes (2005), the Faro Convention on the Value of Cultural Heritage for Society (2005), as well as the International Charter for the Interpretation and Presentation of Cultural Heritage Sites (2008).

Students are strongly encouraged to conduct their own research on these additional charters. They may consult the official websites of ICOMOS and UNESCO, analyze the specific principles of each text, and reflect on their relevance in the Algerian or Maghreb context. This research will help deepen their understanding of the international conservation framework and better grasp the evolution of heritage doctrines.

Despite these limitations and the existence of many other charters, the four fundamental texts (Athens, Venice, Washington, and Burra) remain the ethical foundation of reference. They provide universal guidelines while allowing necessary adaptation. Their effectiveness will depend in the future on their integration into national legislation, their appropriation by local stakeholders, and the establishment of stronger monitoring and evaluation mechanisms. This perspective leads into the next course, which will address the further development of the heritage concept.

Conclusion

International heritage charters today constitute the fundamental ethical and doctrinal framework for architectural conservation and restoration. From the Athens Charter (1931) to the Burra Charter (1979, revised 2013), including the Venice Charter (1964) and the Washington Charter (1987), these texts have progressively established a shared reference system that goes beyond national doctrines and nineteenth-century schools of thought, proposing universal principles while respecting cultural diversity.

These charters have helped clarify and harmonize key concepts such as conservation, restoration, authenticity, integrity, and the protection of historic sites. They emphasize the importance of preventive maintenance, reversibility of interventions, rigorous documentation, and community participation. They have also expanded the scope of heritage, moving from isolated monuments to urban fabrics and cultural landscapes.

However, as discussed, these charters are not without limitations. Their non-binding nature, difficulties in adapting to local contexts, conflicts with economic development pressures, and challenges in interpreting core concepts (notably authenticity) all represent significant obstacles to their effective implementation.

It is also important to recall that many other international charters and recommendations (such as the Nara Document, the Vienna Memorandum, and the Faro Convention, among others) further enrich this doctrinal framework. Students are encouraged to explore these texts in order to deepen their understanding of the international heritage landscape.

Ultimately, international charters should not be seen as rigid prescriptions, but as essential ethical guidelines that inform action while allowing necessary adaptation to each context. They form the crucial link between the theoretical foundations studied in course and the more operational aspects that will be developed in subsequent chapters: the expansion of the heritage concept, the process of heritage designation, the diagnosis of historic buildings, and practical restoration and rehabilitation techniques.

Mastering both the content and the limitations of these charters is therefore essential for any student or professional aiming to intervene responsibly and thoughtfully in architectural heritage.

Course 3: The Expansion of the Concept of Heritage

Introduction

The concept of heritage has continuously evolved since the nineteenth century. Long reduced to historic monuments and major architectural works, it has undergone a remarkable expansion over the past fifty years, both in its scope and in its meaning. What was once considered a field reserved for art historians and architectural conservators has gradually opened up to new dimensions: natural, cultural, urban, landscape, and intangible heritage.

This expansion reflects a profound transformation in our relationship with the past and the environment. It highlights the growing awareness that heritage is not limited to isolated objects, but rather constitutes a living system where history, culture, nature, society, and collective memory intersect. International charters, particularly the UNESCO Convention of 1972 and the 2003 Convention on Intangible Cultural Heritage, have played a decisive role in this evolution by formalizing new heritage categories.

Today, a site may be recognized as heritage for its ecological value, a landscape for its interaction between humans and nature, a craft tradition for its oral transmission, or even a disused industrial facility for its technical and social significance. This more inclusive and holistic vision, however, raises new challenges: how can such diverse assets be identified, assessed, and protected? How can conservation be reconciled with development? How can local communities be integrated into the management of this expanded heritage?

This chapter aims to analyze this conceptual expansion by examining in turn natural heritage, cultural heritage, architectural and urban heritage, cultural landscapes, intangible heritage, as well as emerging concepts such as industrial heritage and vernacular heritage. It will demonstrate that architectural restoration and rehabilitation can no longer be considered in isolation, but must be integrated into a global and interdisciplinary approach to heritage.

1. Natural Heritage

Natural heritage refers to all natural elements to which a society assigns exceptional value due to their aesthetic beauty, ecological or scientific importance, or their role in shaping cultural identity. The UNESCO Convention Concerning the Protection of the World Cultural and Natural Heritage, adopted in 1972, marked a decisive milestone by placing cultural and natural heritage on an equal footing. This Convention recognizes that certain natural sites may possess

outstanding universal value and deserve protection on the same level as historic monuments (UNESCO, 1972, Article 2).

In Algeria, this category is notably illustrated by the Tassili n'Ajjer National Park (Figure 3), inscribed on the World Heritage List in 1982. This site combines outstanding natural value (canyons, unique geological formations, Saharan flora and fauna) with a strong cultural dimension, due to thousands of prehistoric rock engravings dating back several millennia. Other examples include the Hoggar Mountains, the Sahara oases, and wetland areas such as Lake Oubeira.

The recognition of natural heritage now requires conservators and urban planners to consider the immediate environment of historic buildings as an integral part of the heritage to be preserved.



Figure 3: Tassili n'Ajjer National Park. Source: https://worldlist.vision/africa/algeria/tassili-najjer-national-park.phtml

2. Cultural Heritage

Cultural heritage encompasses all manifestations of human activity that reflect the history, traditions, beliefs, and identity of a society. It goes far beyond monuments in the strict sense to include movable cultural property, collections, archives, historic routes, and traditional ways of life. The 1972 UNESCO Convention expanded this notion by distinguishing three categories: monuments, groups of buildings, and sites. Later, the 2003 Convention for the Safeguarding of the Intangible Cultural Heritage further extended this perspective by recognizing that cultural heritage is not limited to tangible objects but also includes living practices transmitted from generation to generation.

In the Algerian context, cultural heritage is particularly rich and stratified, shaped by multiple civilizations (Berber, Phoenician, Roman, Islamic, Ottoman, and colonial). It includes not only major mosques and palaces but also traditional irrigation systems (foggaras), covered markets (kesour) (Figure 4), and knowledge systems related to local craftsmanship.



Figure 4: ksour of ghardaya. Source: https://www.lexpressiondz.com/nationale/ghardaia-restaure-ses-ksour-396278

3. Architectural and Urban Heritage

Architectural and urban heritage concerns individual or grouped buildings, historic urban fabrics, and the spatial relationships that define them. It includes emblematic monuments (mosques, churches, fortifications, palaces) as well as old districts, medinas, and historic city centers. The 1987 Washington Charter played a pioneering role by recognizing the value of urban heritage as a whole, emphasizing the preservation of urban fabric, the relationships between built and open spaces, and the historical functions of cities (ICOMOS, 1987).

In Algeria, the Casbah of Algiers, inscribed on the UNESCO World Heritage List in 1992 (Figure 5), is one of the most significant examples of living architectural and urban heritage. Other emblematic cases include the old city of Constantine, the medina of Tlemcen, the historic center of Annaba, and the ksour of the South. These ensembles are not only architectural testimonies but also living spaces where traditional social and economic practices are still maintained.



Figure 5: Casbah of Algiers. Source: https://www.cntravellerme.com/story/getting-lost-in-algiers-historic-casbah

4. Cultural Landscapes

The concept of cultural landscapes represents one of the most significant advances of the late twentieth century. Officially introduced by UNESCO in 1992, it refers to the combined works of nature and humankind that illustrate the evolution of human society over time. These landscapes result from a long and continuous interaction between people and their environment. They may be designed landscapes (such as historic gardens or agricultural terraces), organically evolved landscapes (such as urban or agricultural landscapes in transformation), or associative landscapes (linked to religious, artistic, or symbolic events).

In Algeria, the M'Zab Valley (Ghardaïa) (Figure 6), inscribed on the World Heritage List in 1982, is a remarkable example of a cultural landscape where vernacular architecture, irrigation systems, and social organization form an inseparable whole. The Saharan palm groves, the cultivated terraces of the Djurdjura mountains (Figure 7), and ancient caravan routes also illustrate this category. The recognition of cultural landscapes requires conservation professionals to no longer consider buildings in isolation, but to integrate their surrounding landscape and environmental context into any intervention.



Figure 6 : M'Zab Valley (Ghardaïa). Source : https://generationvoyage.fr/villages-fortifies-vallee-mzab/



Figure 7 : Djurdjura mountains. Source : https://www.theoutsiders.travel/inspiration/lieu/djurdjura/

5. Intangible Heritage

Intangible cultural heritage refers to practices, representations, expressions, knowledge, and skills as well as the instruments, objects, artifacts, and cultural spaces associated with them that communities recognize as part of their cultural heritage. The UNESCO Convention for the Safeguarding of the Intangible Cultural Heritage, adopted in 2003, marked an important conceptual shift by emphasizing living elements transmitted orally from generation to generation (UNESCO, 2003).

In Algeria, this category is particularly rich: Maghrebi calligraphy, Gnawa music, the rituals of zawiyas, craftsmanship in pottery, weaving, and traditional jewelry-making, popular festivals (such as Tafsit or Fantasia) (Figure 8), as well as earth-based construction techniques are all part of this intangible heritage. The recognition of these elements requires restoration projects not to be limited to the physical rehabilitation of buildings, but also to preserve the practices and skills associated with them.



Figure 8: Intangible Heritage. **Source : https://voyage-en-algerie.com/visiter-tamanrasset-hoggar-assekrem/**

6. New Concepts

Alongside this expansion, new concepts have emerged and continue to enrich the field of heritage. **Industrial heritage** (Figure 9) refers to factories, technical infrastructure (mines, bridges, railways), machinery, and production sites that bear witness to the economic and technological history of a society. Vernacular heritage designates popular architecture built without architects by local communities, using local materials and techniques adapted to climate and available resources (such as rammed-earth houses, mountain villages, and fortified ksour). Environmental heritage emphasizes the sustainable relationships between humans and their natural surroundings.



Figure 9: Industrial heritage. **Source : https://creativech-toolkit.salzburgresearch.at/casestudy_type/industrial-heritage/**

These new categories reflect a major paradigm shift: heritage is no longer limited to the exceptional, but now extends to the ordinary, the everyday, and the technical. This evolution raises new methodological and ethical challenges for restoration and rehabilitation professionals.

In conclusion, the expansion of the concept of heritage reflects a transition from a restrictive, monument-centered approach to a systemic and dynamic vision. Heritage is now perceived as an interconnected whole in which nature and culture, tangible and intangible elements, and exceptional and vernacular assets coexist. This holistic approach, while enriching, also increases complexity in intervention processes and requires interdisciplinary reflection. It directly prepares the ground for the issue of patrimonialization, which will be developed in the next chapter.

Conclusion

The broadening of the concept of heritage, as analyzed in this chapter, represents a profound intellectual and cultural transformation in the field of architectural conservation and restoration. What was once regarded as a domain reserved for exceptional monuments and major architectural achievements has evolved into a holistic, inclusive, and multidimensional vision. Heritage is no longer limited to the material and monumental sphere: it now encompasses natural heritage, cultural heritage in its broad sense, architectural and urban heritage, cultural

landscapes, intangible heritage, as well as emerging categories such as industrial, vernacular, and environmental heritage.

This evolution, driven by UNESCO international conventions (1972 and 2003) and charters such as the Burra Charter, reflects a deep awareness of the interdependence between humans, nature, history, and society. It acknowledges that heritage value is no longer found exclusively in the exceptional, but also in the ordinary, the everyday, and the living. In Algeria, this expanded approach is particularly evident in the richness of its territory: the Tassili n'Ajjer combine both natural and cultural heritage, the M'Zab landscapes illustrate the harmonious interaction between architecture and environment, the Casbah of Algiers embodies a living urban heritage, while traditional craftsmanship and rituals represent an irreplaceable intangible heritage.

However, this expansion is not without practical consequences. It complicates the processes of diagnosis, assessment, and intervention, as an historic building can no longer be studied in isolation from its natural, social, or intangible context. It also requires an interdisciplinary and participatory approach, where local communities become essential actors in heritage safeguarding. Thus, this chapter directly prepares the ground for the next one. The issue of patrimonialization, which will be addressed in Chapter 4, raises a fundamental question: how does a society, among all these potentially heritage-bearing assets, choose which ones it recognizes, protects, and transmits? Understanding this conceptual expansion is therefore an essential step for any professional seeking to intervene in a responsible, respectful, and context-sensitive manner within Algerian and Maghreb architectural heritage.

Course 4: The Issue of Heritage-making (Heritagization)

Introduction

Heritagization is one of the most complex and strategic processes in architectural restoration and rehabilitation. Following the broadening of the concept of heritage examined in the previous chapter (which showed how the notion of heritage has expanded from the historic monument to include natural, cultural, urban, landscape, intangible, industrial, and vernacular dimensions) it becomes essential to understand how a property, whether architectural, urban, natural, or intangible, is selected, recognized, evaluated, and protected as heritage.

This chapter explores the issue of heritagization from its theoretical, methodological, and practical perspectives. It demonstrates that heritagization is neither a neutral act nor an automatic process: it is a social, cultural, and political construction that reflects the values, priorities, and power relations of a society at a given moment in its history. A property becomes heritage only because a community or an institution collectively decides to attribute a particular value to it that it wishes to transmit to future generations (Choay, 1992).

In Algeria, this issue takes on a particularly rich and complex dimension due to the superposition of historical layers (Roman, Islamic, Ottoman, and colonial) and the diversity of contexts (urban, rural, and Saharan). Heritagization is often triggered by a threat (degradation, rapid urbanization, or development projects) and involves negotiation among multiple actors: public institutions, experts, local communities, and international organizations.

This chapter addresses successively :

- The definition of heritagization ;
- the process of heritage recognition;
- the criteria for identifying heritage;
- the methodologies (historical studies, architectural analyses, and social and cultural studies);
- The actors involved;
- contemporary issues and debates;
- and finally, concrete examples of heritagization in Algeria and around the world.

Understanding heritagization is essential, as it forms the foundation on which all measures of protection and enhancement studied in the following chapter are based. It invites critical

reflection: who decides what deserves to be heritagized? In the name of which values? With what social and spatial consequences?

1. Definition of Heritagization

Heritagization refers to the social, cultural, and political process through which a society identifies, selects, evaluates, and protects a tangible or intangible asset by attributing to it a specific heritage value that it seeks to transmit to future generations. Contrary to a common misconception, a property is not inherently heritage; it becomes so through a collective act of recognition. As Françoise Choay explains in *The Allegory of Heritage* (1992), heritagization transforms an ordinary object into a symbol charged with collective memory, identity, and cultural meaning. This process is dynamic and reversible: a building may acquire heritage status at a given time and later lose it if society no longer assigns it significant value.

Under Algerian law, Law No. 98-04 of June 15, 1998 on the protection of cultural heritage implicitly defines heritagization as the set of operations that allow a property to be classified as part of the national heritage due to its archaeological, historical, artistic, scientific, technical, or architectural significance (Articles 1 and 4). This definition highlights that heritagization is both an act of selection and a commitment to intergenerational transmission.

2. Process of Heritage Recognition

The process of heritage recognition generally follows a multi-stage pathway, although it is never entirely linear. It often begins with a collective or institutional awareness, triggered by a real threat (accelerated deterioration, demolition projects, or urban and tourism pressure). This is followed by the identification and inventory phase, during which experts, local associations, or public institutions record potentially heritage-worthy assets. The third stage, value assessment, involves analyzing the different dimensions of the asset (historical, artistic, social, symbolic, and scientific) according to international charter criteria. This is followed by the justification phase, which legitimizes protection before authorities and the public. The next step is the legal classification procedure, which results in formal protection (national listing or inscription on international registers). Finally, the last stage is enhancement (touristic, educational, or economic valorization), which assigns a contemporary function to the heritage asset.

This process can take several years and often involves negotiations between stakeholders with divergent interests. In Algeria, the case of the Casbah of Algiers illustrates that heritagization has been long and conflictual: awareness emerged in the 1970s, inventory work was carried out in the 1980s, and UNESCO World Heritage inscription was achieved only in 1992, following extensive local and international mobilization.

3. Criteria for Heritage Identification

In order for a property to be recognized as heritage, several criteria must be met. The main ones are authenticity (material and historical integrity), integrity (overall state of conservation), rarity or representativeness (a unique or typical testimony of a period or civilization), as well as emotional or commemorative value (a strong link with collective identity). The UNESCO World Heritage Convention (1972) sets out ten criteria, six of which apply to cultural heritage. In Algeria, Law No. 98-04 adopts criteria such as archaeological, historical, artistic, scientific, technical, or architectural interest.

However, these criteria are not absolute. They evolve over time and depend on cultural context. An ordinary vernacular building may become heritage if it reflects a vanished way of life or a traditional construction technique. Conversely, a prestigious monument may lose its heritage status if its symbolic value fades. The Burra Charter (1979) particularly emphasizes the need to assess cultural values from the perspective of local communities, representing a significant shift away from earlier elitist approaches.

4. Methodologies of Heritagization

Heritage recognition is based on rigorous and interdisciplinary methodologies.

4.1. Historical Studies

These consist of retracing the evolution of a property through archives, old plans, historical texts, photographs, and oral testimonies. They make it possible to understand the different construction phases and successive transformations. In Algeria, Ottoman archives, colonial records, and local wilaya archives are often essential for documenting the history of medinas and ksour.

4.2.Architectural Analyses

These include metric surveys, material stratigraphy, the study of construction techniques, and morphological analysis. These analyses help distinguish original parts from later additions and assess the building's integrity.

4.3.Social and Cultural Studies

These have become central since the broadening of the concept of heritage. They are based on field surveys, interviews with residents, focus groups, and anthropological analyses in order to measure the social, symbolic, and identity value of the asset. Community participation thus becomes an essential criterion of heritagization, as recommended by the Burra Charter.

These methodologies must be complementary and conducted in an interdisciplinary manner (historians, architects, sociologists, archaeologists, anthropologists).

5. Actors of Heritagization

Heritagization involves a wide range of actors with complementary but sometimes conflicting roles: public institutions (Ministry of Culture, National Agency for the Protection of Historic Sites and Monuments), international organizations (UNESCO, ICOMOS), experts (architects, historians, archaeologists), local associations, residents, and private developers. In Algeria, the role of heritage preservation associations (such as those in the Casbah of Algiers or Constantine) has often been decisive in initiating or accelerating heritagization processes.

6. Contemporary Issues and Debates

Heritagization raises many current challenges and debates. The main issue is the risk of gentrification: heritage valorization can lead to rising rents and the exclusion of traditional populations. Another concern is mass tourism, which, while promoting visibility and economic benefits, can damage the site and compromise its authenticity. Finally, the question of cultural appropriation remains sensitive: who decides what deserves to be designated as heritage? Do local communities always have a voice in the process?

7. Concrete Examples of Heritagization Around the World

To better understand the dynamics of heritagization, it is useful to analyze several emblematic international cases. These examples show how properties, sometimes controversial or ordinary in their time, gradually become recognized as heritage through collective mobilization, value assessment, and legal protection.

7.1.The Eiffel Tower in Paris (France)

Initially built for the 1889 World's Fair, the Eiffel Tower was strongly criticized by intellectuals and artists of the time, who described it as a iron monster. However, it was gradually heritagized due to its symbolic value (as an emblem of modernity and of France) and its tourist significance. Classified as a historic monument in 1964 and later associated with UNESCO recognition in 1989, it illustrates how a contemporary structure can become heritage within a few decades through the progressive recognition of its artistic and historical value.

7.2.Machu Picchu (Peru)

The Inca site of Machu Picchu (Figure 10), rediscovered in 1911 by Hiram Bingham, is a classic case of rapid heritagization. Threatened by looting and tourism development, it was declared a national historic monument in 1981 and inscribed on the UNESCO World Heritage List in 1983 as a cultural landscape. Its recognition was based on criteria of authenticity, integrity, and outstanding universal value (UNESCO criteria vii and ix). Today, it is strictly managed to balance conservation and sustainable tourism, highlighting tensions between protection and economic development.



Figure 10 : **Machu Picchu.** Source : https://www.kayak.fr/Machu-Picchu.45618.guide

7.3.The Taj Mahal (India)

Built in the 17th century by Mughal Emperor Shah Jahan, the Taj Mahal was heritagized as a symbol of love and architectural excellence (Figure 11). Inscribed on the World Heritage List in 1983, its recognition was reinforced by international campaigns against pollution and deterioration. This example shows how symbolic and artistic values can take precedence and how heritagization can mobilize the international community to protect a threatened site.



Figure 11 : **Taj Mahal.** Source : https://www.admagazine.fr/article/taj-mahal-tout-savoir-lieu-sacre

7.4.Tate Modern in London (United Kingdom) Industrial Heritage

The former Bankside Power Station, built in 1947 and decommissioned in 1981, was converted into a modern art museum in 2000. Its recognition as industrial heritage was based on its technical and historical value (Brutalist architecture and testimony of the industrial revolution). Listed as Grade II in 1993, it illustrates the heritagization of industrial heritage, an emerging concept that values ordinary buildings of everyday life for their social and technical significance (Figure 12).



Figure 12: **Tate Modern in London (United Kingdom) Industrial Heritage.** Source : https://radmat.com/projects/tate-modern-extension/

7.5.The Traditional Villages of Shirakawa-gō and Gokayama

These mountain villages with traditional thatched-roof houses (gasshō-zukuri) were long considered ordinary settlements (Figure 13). Threatened by rural depopulation and modernization, they were heritagized thanks to strong community involvement. Inscribed on the World Heritage List in 1995 as a cultural landscape, they represent vernacular heritage where community participation played a decisive role in preserving traditional building know-how.



Figure 13: **The Traditional Villages of Shirakawa-gō and Gokayama.** Source: https://travel.gaijinpot.com/shirakawa-go-and-gokayama/

8. Examples of heritage-making in Algeria

To better understand the issue of heritage-making, it is essential to analyze concrete cases from the Algerian context. These examples show how assets, sometimes threatened or considered ordinary, have been gradually recognized, assessed, and protected thanks to collective mobilization, scientific studies, and legal procedures.

8.1.The Casbah of Algiers

The Casbah of Algiers is one of the most emblematic examples of heritage-making in Algeria. In the years following independence, this dense and living urban fabric was threatened by degradation, uncontrolled alterations, and radical redevelopment projects. Awareness was first raised in the 1970s by architects and local associations. Historical and architectural studies revealed its exceptional value as a testimony of the Ottoman period, with a unique spatial organization and a strong national collective memory. After a long process of inventory and evaluation, it was listed as national heritage in 1980 and later inscribed on the UNESCO World Heritage List in 1992. This case illustrates typical tensions: balancing preservation, current inhabitants' living conditions, and urban development. Heritage-making enabled the

implementation of safeguarding and rehabilitation plans, although it still faces challenges such as gentrification and ongoing degradation.

8.2.The Ksour and the M'Zab Valley (Ghardaïa)

The Ksour of the M'Zab Valley, inscribed on the World Heritage List in 1982, represent a remarkable example of cultural landscape and vernacular architecture heritage-making. These fortified villages, built in rammed earth and organized around palm groves and traditional irrigation systems (foggaras), were threatened by rural exodus and modernization. Heritage recognition was triggered by local and international awareness in the 1970s. Interdisciplinary studies (archaeological, architectural, and anthropological) highlighted their historical, social, and landscape value. The Burra Charter particularly influenced the participatory approach: Mozabite communities were involved in defining cultural values. Today, the site benefits from integrated management aimed at preserving architecture, traditional know-how, and the oasis environment.

8.3.The Ruins of Tipasa

The archaeological site of Tipasa, located on the western coast of Algiers, provides an example of archaeological heritage-making. Inscribed on the World Heritage List in 1982, this Roman site (Royal Mausoleum of Mauretania, basilicas, baths) was threatened by coastal erosion, looting, and urban expansion. Heritage recognition began during the colonial period with archaeological excavations but intensified after independence through preservation campaigns and Law No. 98-04. Historical and archaeological studies justified its classification by emphasizing its outstanding universal value as evidence of Romanization in the Maghreb and Mediterranean exchanges. This case shows how heritage-making can turn a site into a tourism resource while raising conservation challenges under environmental pressure (Figure 14).



Figure 14: **The archaeological site of Tipasa.** Source: https://www.castlesintheworld.com/algeria/tipasa/

8.4.The Old City of Constantine (Medina)

The medina of Constantine (Figure 15), with its suspension bridges and Ottoman urban fabric, is an example of an ongoing and relatively recent heritage-making process. Threatened by structural degradation and modern development projects, it was identified as heritage through architectural and social studies conducted in the 2000s. It was classified as national heritage in 2010 and is now subject to a safeguarding and rehabilitation plan partially funded through international partnerships. This case highlights heritage-making in a living historic center where social value (collective memory) and urban value (spatial relations) prevail over purely monumental value.



Figure 15: **The Old City of Constantine (Medina).** Source : https://molon.fr/Algerie/Constantine-tourisme/Medina/#img=DSC_0129.jpg

Conclusion

Heritagization thus appears as a complex, dynamic, and profoundly human process. It is not merely about recognizing a property as heritage, but about selecting, evaluating, and collectively legitimizing it in order to transmit it to future generations. This chapter has shown that heritagization is neither neutral nor automatic: it results from a social act of recognition that transforms an ordinary element of the territory into a symbolic asset charged with historical, artistic, social, and identity-based values.

Through the definitions, processes, criteria, and methodologies presented, it has been demonstrated that heritagization relies on an interdisciplinary and participatory approach. It involves multiple actors institutions, experts, and local communities and raises major contemporary issues such as gentrification, mass tourism, and cultural appropriation. In Algeria, the examples of the Casbah of Algiers, the ksour of the South, and industrial sites clearly illustrate the complexity of this process within a national context rich in historical and cultural layers.

Thus, understanding the issue of heritagization is essential before any concrete intervention on built heritage. It forms the foundation upon which protection, inventory, and classification measures are based, which will be detailed in the next chapter. Mastering this process not only allows for the identification of assets worthy of protection, but also enables responsible intervention that respects authenticity and is adapted to contemporary social and cultural realities.

Course 5: Measures for the Protection and Enhancement of Heritage

Introduction

After analyzing in the previous course, the complex issue of heritage-making that is, the process through which a property is recognized, assessed, and legitimized as heritage it is now necessary to address the concrete measures that make it possible to effectively protect and enhance these assets once they have been identified. This course marks the decisive shift from theory to action: it is no longer only about understanding how a building or site becomes heritage, but about knowing how to preserve it sustainably and give it a new life while respecting its authenticity.

Indeed, heritage recognition is meaningless if it is not followed by appropriate legal, administrative, and operational tools. Protection and enhancement measures therefore constitute the essential bridge between the theoretical foundations studied in Chapters 1 to 4 and the technical interventions that will be detailed in the following chapters. They translate into concrete actions the ethical principles of international charters (Venice, Washington, Burra) and Algerian national legislation, particularly Law No. 98-04 of June 15, 1998 on the protection of cultural heritage.

This chapter examines in turn three main categories of actions:

- Heritage inventory, which makes it possible to identify and rigorously document the assets to be protected;
- Classification, which grants the property a legally protected status and imposes legal obligations;
- Intervention strategies, which define the practical modalities of conservation, restoration, rehabilitation, or adaptive reuse depending on the condition of the asset and the objectives of enhancement.

In Algeria, where architectural and urban heritage is particularly rich but often threatened by rapid urbanization, demographic pressure, and lack of resources, these measures are of strategic importance. They must reconcile preservation requirements, the needs of local populations, and sustainable development goals. Mastering these tools is therefore essential for any actor involved in architectural restoration and rehabilitation, as they determine the feasibility, legality, and effectiveness of any future intervention on historic built fabric.

1. Heritage Inventory

The inventory constitutes the first operational and essential step in any heritage protection policy. It is a systematic, scientific, and continuous survey of existing heritage assets within a given territory. Without a reliable and regularly updated inventory, it is impossible to establish a coherent strategy for conservation, restoration, or rehabilitation. The inventory not only makes it possible to identify assets to be protected, but also provides an essential database for decision-making, urban planning, and the long-term management of heritage.

In Algeria, the national inventory of cultural heritage is governed by Law No. 98-04 of June 15, 1998, which requires the competent authorities to establish and maintain a general inventory of immovable, movable, and intangible cultural assets. This inventory is coordinated by the National Agency for the Protection of Historic Sites and Monuments (ANPSMH) in collaboration with the cultural directorates of the wilayas and archaeological services. It follows an approach consistent with the recommendations of international charters, particularly the Venice Charter and the Burra Charter, which emphasize the need for rigorous documentation prior to any intervention.

The inventory is not limited to a simple listing of monuments. It is based on a rigorous methodological approach that combines several complementary phases.

1.1.Identification of Heritage Assets

Identification consists of locating, in the field, all assets that may have heritage value. This phase is carried out by multidisciplinary teams composed of architects, historians, archaeologists, geographers, and sometimes anthropologists. It is based on the criteria defined in Chapter 4: authenticity, integrity, rarity, representativeness, and historical, artistic, social, or symbolic value.

In practice, identification can be conducted in different ways:

- Thematic inventories (by type of asset: religious, military, civil, industrial, or vernacular architecture);
- Territorial inventories (by municipality, wilaya, or geographical area);
- Emergency inventories triggered by an immediate threat (rapid deterioration, development projects).

In Algeria, several national campaigns have been launched since the 2000s, notably the inventory of medinas and southern ksour, as well as that of colonial industrial heritage. These operations help reveal previously unknown assets, such as certain traditional houses in the Casbah of Algiers or forgotten Ottoman engineering structures.

1.2.Documentation and Surveying

Once the assets have been identified, they are subject to comprehensive and precise documentation. This phase is fundamental, as it constitutes the scientific record of heritage.

Documentation work includes:

- **Architectural surveys**: plans, sections, elevations, and construction details carried out manually or using modern technologies (photogrammetry, 3D laser scanning, drones);
- **Photographic records**: general views, detailed shots, and documentation of the state of conservation prior to intervention;
- **Historical and stratigraphic analyses**: study of construction phases, successive transformations, and the materials used;
- **Standardized inventory sheets**: each asset is assigned a record including its location, description, state of conservation, heritage values, and potential threats.

In Algeria, these data are gradually being integrated into a national georeferenced database (Geographic Information System for Heritage). This digitalization facilitates access to information for researchers, students, decision-makers, and restoration professionals.

The inventory is not a one-time operation; it must be regularly updated to reflect changes (deterioration, completed restorations, new discoveries). A living and dynamic inventory thus forms the foundation upon which the entire process of heritage protection and enhancement is built.

2. Listing (Classification)

Listing is the legal act that grants a property protected status and imposes conservation obligations on its owner or managing authority. It represents the decisive step that transforms a property identified during the inventory process into an official element of the national heritage, benefiting from strengthened legal protection. Without listing, heritage remains vulnerable to urban, economic, or speculative pressures. This legal mechanism therefore

constitutes the central pillar of any safeguarding policy, as it gives legal force to the ethical principles set out in international charters and national legislation.

In Algeria, listing is mainly governed by Law No. 98-04 of June 15, 1998, relating to the protection of cultural heritage. This law defines listing as the administrative procedure that allows a property to be included on the list of historic monuments or protected sites, resulting in specific constraints and advantages (protection against demolition, maintenance obligations, possible financial support).

2.1.Legal Procedures for Protection

The listing procedure follows a clear and transparent process to ensure the legitimacy of the decision. It generally begins with a justified proposal submitted by the National Agency for the Protection of Sites and Historic Monuments (ANPSMH), a wilaya cultural directorate, a heritage preservation association, or even an individual. This proposal must be accompanied by a complete technical file: inventory record, architectural surveys, historical study, analysis of heritage values, and justification of public interest.

The file is then submitted to a public inquiry, allowing citizens, property owners, and local authorities to express their opinions. This participatory stage is essential, as it aligns with the principles of the Burra Charter, which emphasizes community involvement. After the inquiry, the file is reviewed by the National Council for Cultural Heritage, a consultative body under the Ministry of Culture. Finally, the listing is formalized by a decree issued by the Minister of Culture and published in the Official Journal of the People's Democratic Republic of Algeria. Once listed, the property benefits from immediate protection: any modification, demolition, or alteration requires prior authorization.

At the international level, listing may go further through inscription on the UNESCO World Heritage List. This procedure is more complex and demanding: it requires the preparation of a highly detailed nomination dossier, an evaluation by ICOMOS, and a decision by the World Heritage Committee. In Algeria, several sites have followed this path, such as the Casbah of Algiers (1992) and the M'Zab Valley ksour (1982).

2.2.Levels of Protection

Listing is not uniform; there are several levels of protection adapted to the value and vulnerability of the property:

- **Listing as a historic monument:** the highest level of protection, applicable to individual buildings or architectural ensembles of exceptional national interest. Any intervention must be approved by the ANPSMH.
- **Inclusion on the national indicative list:** an intermediate level that offers limited protection but allows anticipation of a possible future full classification.
- **Protected sites and safeguard zones:** extended protection covering the built environment and the immediate surroundings of the monument (generally within a 500-meter radius). This level is particularly useful for urban fabrics such as medinas or historic centers.
- **UNESCO World Heritage status:** an international level of protection that imposes enhanced monitoring obligations and periodic reporting.

Each level entails specific obligations for the owner (mandatory maintenance, prohibition of demolition) as well as advantages (restoration subsidies, tax exemptions, tourism promotion).

In Algeria, listing remains a powerful but still underutilized tool. Many properties identified during inventories have not yet been officially classified, leaving them vulnerable to urban development projects. Strengthening procedures and simplifying administrative processes therefore represent a major challenge for the future of national heritage protection.

Listing is not an end in itself: it opens the way to the intervention strategies detailed in the following section. It represents the necessary transition between theoretical recognition and concrete action in the field.

3. Intervention Strategies

Once protected through official listing, a heritage asset does not remain static: it is subject to an intervention strategy adapted to its state of conservation, its heritage values, and the needs of contemporary society. The choice of strategy is not arbitrary; it must strictly comply with the ethical principles of international charters (Venice, Washington, Burra) and Algerian Law No. 98-04. Any intervention must be minimal, reversible, compatible, and documented, in order

to preserve the authenticity and integrity of the asset while allowing it to remain alive and functional.

Intervention strategies are divided into four main complementary categories, which may be combined depending on the specific case.

3.1.Conservation

Conservation is the fundamental and most respectful strategy in terms of authenticity. It aims to maintain the heritage asset in its current state through continuous preventive maintenance, without significant alteration to its structure or appearance. According to the Venice Charter (Article 4), the conservation of monuments is always facilitated by their use for socially useful purposes. It includes routine operations such as cleaning, protection against water infiltration, treatment of pathologies (salt efflorescence, cracks, biological attacks), and light consolidation of unstable elements.

In Algeria, conservation is particularly suitable for living urban fabrics such as the Casbah of Algiers or the medina of Tlemcen (Figure 16), where the objective is to slow down deterioration without disrupting the daily use of the site by its inhabitants. This approach is often the most economical and sustainable, as it avoids heavy and costly interventions.



Figure 16: Medina of Tlemcen**.** Source : https://algeriepatrimoine.wordpress.com/2020/10/11/la-medina-de-tlemcen/

3.2.Restoration

Restoration is an exceptional intervention aimed at revealing or reinstating the aesthetic and historical values of a monument. It must be based exclusively on authentic documentation and respect the ancient fabric (Venice Charter, Article 9). It may include the replacement of highly deteriorated elements with identical or compatible materials, the reinstatement of lost decorative features, or structural consolidation.

3.3.Rehabilitation

Rehabilitation consists of adapting an historic building to contemporary uses while preserving its architectural, historical, and cultural integrity. It allows the heritage asset to remain alive by giving it a useful function within today's society (housing, public facilities, cultural activities). This strategy is particularly recommended by the Washington Charter for historic towns and urban areas.

In Algeria, many rehabilitation projects have been completed or are currently underway in the Casbah of Algiers, including the discreet integration of sanitary facilities, improvements in thermal insulation, seismic reinforcement, or the creation of shared spaces, all while preserving façades, courtyards, and traditional materials. Rehabilitation must always prioritize material compatibility and the discreet integration of modern interventions.

3.4.Adaptive Reuse (Architectural Conversion)

Adaptive reuse (or architectural recycling) involves a radical change of use: an historic building is reassigned to a new function that is significantly different from its original purpose. This strategy is encouraged when simple conservation or rehabilitation is no longer sufficient to ensure the long-term survival of the asset.

Concrete examples include the conversion of a former military barracks into a cultural center, a colonial factory into a museum, or a warehouse into a coworking space. In Algeria, the transformation of the former tobacco factory in Constantine or certain industrial buildings in Annaba illustrates this approach. It allows endangered buildings to be saved while contributing to local development, provided that the new program respects the heritage values of the structure.

The choice of intervention strategy must always result from an in-depth study (diagnosis, value assessment, feasibility study) and consultation with local stakeholders. It is a matter of finding the right balance between preserving authenticity and adapting to current needs.

Conclusion

Heritage protection and enhancement measures constitute the essential operational framework that transforms the theoretical recognition of a property into concrete and sustainable action. Inventory allows heritage assets to be systematically identified and rigorously documented, classification grants them a legally protected status, while intervention strategies (conservation, restoration, rehabilitation, and adaptive reuse) offer a range of solutions adapted to each situation.

These three pillars, governed by Law No. 98-04 and inspired by the principles of international charters, form a coherent system that ensures both the preservation of authenticity and the adaptation of heritage to contemporary life. In Algeria, where architectural and urban heritage

is particularly rich but often weakened by rapid urbanization and economic constraints, mastering these measures is essential to reconcile preservation, population needs, and sustainable development.

This chapter has shown that protection does not end with the simple act of listing: it requires a genuine action strategy, coordination between public and private stakeholders, and continuous evaluation of outcomes. Without these legal and operational tools, heritage recognition would remain a purely theoretical approach with no real impact on the ground.

Thus, heritage protection and enhancement measures directly pave the way for the next chapter, which is devoted to the diagnosis of historic buildings. Indeed, before any concrete intervention (whether conservation, restoration, or rehabilitation) it is essential to conduct an in-depth analysis of the building's condition, pathologies, and structure. This technical and scientific step enables responsible, effective, and heritage-sensitive intervention.

Course: 6 Diagnosis of Historic Buildings

Introduction

Before any conservation, restoration, or rehabilitation intervention, it is essential to carry out a thorough diagnosis of the historic building. This diagnosis constitutes the fundamental scientific and technical step that makes it possible to understand the actual condition of the property, identify its pathologies, assess its structural stability, and define the most appropriate, respectful, and sustainable interventions in relation to its authenticity (ICOMOS, 1964).

Without a rigorous and comprehensive diagnosis, any action on heritage assets risks being ineffective, costly, or even harmful to the integrity of the building and the values it embodies. Indeed, a historic building is the result of a long history shaped by successive layers, transformations, and environmental constraints. Intervening without a precise understanding would be equivalent to acting blindly, with the risk of further degrading what is intended to be preserved.

This chapter is directly aligned with the protection and enhancement measures presented in Chapter 5. While inventorying and classification make it possible to identify and legally protect the property, diagnosis represents the next operational step: it provides the essential scientific basis for any technical decision. In Algeria, where built heritage is often old and exposed to severe climatic constraints (rising damp, sand-laden winds, significant thermal variations) as well as a high seismic risk in several regions, high-quality diagnosis is of strategic importance. It not only helps preserve the authenticity and integrity of buildings but also ensures the safety of occupants and the sustainability of future interventions.

This chapter successively presents the different components of the diagnosis:

- historical analysis,
- architectural analysis,
- study of pathologies in historic buildings,
- structural diagnosis,
- as well as the analytical methods used by heritage professionals (visual inspection, architectural surveys, and material analysis).

Mastering these tools is an essential skill for any architect, engineer, or craftsman specialized in architectural restoration and rehabilitation. Indeed, it is on the basis of this diagnosis that decisions will be made, determining the success or failure of a heritage preservation project.

1. Historical Analysis

Historical analysis constitutes the initial and fundamental phase of the diagnostic process applied to historic buildings. Its primary objective is to reconstruct the chronological evolution of the building from its original construction to its current state, in order to establish a comprehensive understanding of its historical, cultural, and architectural significance. This step is essential because any intervention that ignores the historical dimension risks compromising the authenticity and integrity of the heritage asset.

This analysis is based on a variety of complementary sources. Archival documents (such as original plans, cadastral records, notarial deeds, administrative reports, and historical photographs) provide precise information about the building's initial configuration and subsequent modifications. In addition, oral testimonies from local inhabitants, former users, or craftsmen may offer valuable insights, particularly in cases where written documentation is limited or fragmented. Secondary sources, including academic studies and historical publications, also contribute to contextualizing the building within broader urban and socio-cultural developments (Choay, 1992).

Through this multi-source approach, historical analysis enables the identification of the different construction phases, successive transformations, changes in use, and significant events that may have affected the building over time, such as fires, earthquakes, periods of neglect, or restoration campaigns. It also allows for the detection of architectural stratification, where each layer reflects a specific historical period, thus transforming the building into a "palimpsest" of urban history.

In the Algerian context, historical analysis is particularly significant due to the richness and complexity of the country's-built heritage, which is characterized by the superimposition of multiple historical periods, including Roman, Islamic, Ottoman, and colonial influences. This layered history often results in buildings that have undergone numerous modifications, each reflecting different socio-political and cultural contexts. For instance, in the Casbah of Algiers, historical investigations frequently reveal a combination of Ottoman structural bases, 19th-century colonial interventions, and post-independence alterations (Ministry of Culture, 2018).

Such chronological understanding is crucial for distinguishing original elements from later additions, assessing the heritage value of each component, and guiding intervention strategies. It helps avoid inappropriate restoration practices that could erase significant historical layers or create a false representation of the building's past. Ultimately, historical analysis provides a solid scientific foundation for decision-making, ensuring that conservation and rehabilitation actions respect both the material authenticity and the historical continuity of the building.

2. Pathologies of Historic Buildings

Pathologies refer to all forms of alteration and deterioration affecting a building over time. They result from multiple causes: environmental factors (moisture, salt, frost), biological factors (wood-boring insects, fungi), chemical factors (pollution, metal corrosion), or mechanical factors (cracks due to ground movement or earthquakes).

The most common pathologies in Algerian historic buildings include rising damp and salt efflorescence (highly present in medinas and ksour), cracks and structural disorders (linked to weak foundations or the absence of seismic reinforcement), deterioration of stone and plaster (Figure 17), as well as biological attacks (Ministry of Culture, 2018). Accurate identification of these pathologies is crucial, as it allows determining whether they are active or stabilized and selecting the most appropriate treatment methods.



Figure 17: Typical Deterioration Processes in Historic Masonry Structures.
https://www.reparabat.fr/pathologies/

3. Structural Diagnosis

Structural diagnosis assesses the stability and load-bearing capacity of a building. It is based on the analysis of foundations, load-bearing walls, floors, vaults, and roof structures. Non-destructive testing methods (ultrasound, infrared thermography, endoscopy) or semi-destructive methods (core drilling) are used to evaluate material strength and detect weak areas.

In Algeria, where seismic risk is high in certain regions (northern and Tell areas), structural diagnosis must include a seismic assessment in accordance with the Algerian seismic regulations (RPA 99/2003, revised). It helps determine whether the building requires structural reinforcement prior to any rehabilitation (Law No. 98-04, 1998).

4. Analysis Methods

The diagnosis of historic buildings relies on a rigorous and complementary combination of analysis methods, ranging from the simplest and most accessible to the most advanced and technological. These methods make it possible to cross qualitative and quantitative data in order to obtain a comprehensive and reliable understanding of the building's condition. They must be implemented in a progressive, interdisciplinary, and well-documented manner, in accordance with the principles of the Venice Charter (ICOMOS, 1964), which emphasizes the need for thorough knowledge before any intervention.

The objective is not only to detect visible pathologies, but also to understand their underlying causes, their evolution, and their level of activity. In Algeria, where historic buildings are often exposed to extreme climatic conditions (rising damp, sand-laden winds, significant thermal variations, and seismic risk), these methods must be adapted to the local context and available resources.

5.1. Visual Observation

Visual observation is the basic, most immediate, and least costly method. It consists of a careful and systematic examination of the entire building, both externally and internally. The expert identifies cracks, deformations, traces of moisture, salt efflorescence, material deterioration, structural disorders, and signs of biological attacks. This observation is complemented by a sketchbook, geolocated photographs, and a detailed condition assessment sheet.

In practice, it is carried out in several stages: a general observation of the building within its environment, followed by a detailed examination of each façade, each level, and each structural element. In Algeria, this method is particularly useful in medinas and ksour where access to technical equipment is sometimes limited. It already allows for establishing a preliminary hierarchy of urgencies and defining the areas that require more in-depth investigations.

5.2. Architectural Surveys

Architectural surveys form the cartographic basis of the diagnosis. They include the production of plans, sections, elevations, and detailed drawings at various scales. Traditionally carried out by hand or using surveying instruments, they are now widely performed using digital technologies such as 3D laser scanning, drone or camera photogrammetry, and heritage-adapted BIM modelling software (Figure 18).

These surveys not only allow an accurate representation of the building's geometry, but also help detect subtle deformations (floor deflection, wall tilting) that are not visible to the naked eye. In Algeria, 3D surveys have been successfully used in the Casbah of Algiers and in Tipaza to create precise digital models that serve both diagnostic purposes and the preparation of restoration projects.




Figure 18: Digital architectural survey using 3D laser scanning. Source: https://www.mdpi.com/2220-9964/8/2/53

5.3.Material Analysis

Material analysis represents the most scientific stage of the diagnostic process. It is carried out in laboratories on minimally and representatively sampled materials. The most common analyses include:

- Granulometric and chemical analysis of mortars and renders;
- Mechanical strength tests (compression, tensile strength) on stone, brick, or historic concrete;
- Determination of material porosity and permeability;
- Petrographic analysis to identify the origin of stones and their compatibility with new restoration materials.

These analyses make it possible to select physically and chemically compatible mortars or replacement stones, thereby avoiding accelerated deterioration often caused by the use of modern cement on historic masonry. In Algeria, laboratories such as those of the National Centre for Archaeological Research (CNRA) and university laboratories play a central role in these studies (Figure 19).



Figure 19: Laboratory analysis of historic building materials. Source : https://www.mdpi.com/1996-1944/13/12/2873

5.4.Non-Destructive and Semi-Destructive Investigation Techniques

To complement the previous methods, professionals use advanced techniques such as:

- Infrared thermography: detects moisture zones or voids within walls without contact;
- Ultrasound and ground-penetrating radar: assess the internal condition of masonry and foundations;
- Endoscopy: allows internal observation of walls or floors through small drill holes;
- Semi-destructive tests (core drilling, load tests): used sparingly when non-destructive methods are insufficient.

Although more costly, these techniques are particularly valuable in seismic-risk contexts such as northern Algeria.

All collected data is then synthesized into a comprehensive diagnostic report, including an overall assessment, a pathology map, a risk evaluation, and precise recommendations for future interventions. This report becomes the reference document for all stakeholders involved in restoration or rehabilitation projects.

Conclusion

Le diagnostic des bâtiments anciens constitue une étape fondamentale, rigoureuse et incontournable de toute opération de restauration ou de réhabilitation architecturale. Il ne s'agit pas d'une simple formalité technique, mais d'une véritable démarche scientifique et interdisciplinaire qui permet de comprendre en profondeur l'histoire, la structure, les pathologies et la stabilité du bâtiment avant toute intervention.

À travers l'analyse historique, l'analyse architecturale, l'étude des pathologies, le diagnostic structurel et l'ensemble des méthodes d'analyse (observation visuelle, relevés, analyses de matériaux et techniques non destructives), le diagnostic offre une vision globale et fiable de l'état du bien. En Algérie, où le patrimoine bâti est souvent ancien et soumis à des contraintes climatiques, sismiques et environnementales spécifiques, un diagnostic de qualité est particulièrement stratégique. Il permet d'éviter les erreurs coûteuses, de préserver l'authenticité du bâtiment et de garantir la sécurité des futurs usagers.

Ce chapitre a montré que le diagnostic est le lien indispensable entre la théorie (fondements théoriques et chartes internationales) et la pratique (techniques de restauration). Il constitue le socle sur lequel repose toute décision responsable et durable.

Ainsi, le diagnostic prépare directement le terrain au chapitre suivant consacré aux **techniques et méthodes de restauration**. C'est en effet sur la base des conclusions du diagnostic que seront choisies et mises en œuvre les interventions concrètes (conservation, restauration, réhabilitation ou reconversion) dans le respect des principes éthiques et de l'authenticité du patrimoine.

Maîtriser le diagnostic est donc une compétence essentielle pour tout professionnel engagé dans la sauvegarde et la mise en valeur du patrimoine architectural algérien.

Course 7: Techniques and Restoration Methods

Introduction

After carrying out a thorough diagnosis of the historic building, as detailed in the previous chapter, heritage professionals now have all the necessary information to move from analysis to concrete action on site. This chapter is entirely devoted to restoration techniques and methods, that is, to the set of practical operations that make it possible to restore, consolidate, and sustainably preserve an old building while respecting its authenticity and integrity.

Restoration is not an improvised process. It is at once a scientific, technical, and ethical act that must meet very strict requirements. Any intervention must be guided by the major international principles defined by the Venice Charter (1964) and the Burra Charter (2013): minimal intervention, reversibility of works, compatibility of new materials with existing ones, visual differentiation of restored parts, and rigorous documentation at every stage. These principles are also embedded in Algerian legislation, notably Law No. 98-04 of June 15, 1998, relating to the protection of cultural heritage, which requires a high level of quality and respect in restoration projects.

In Algeria, where the built heritage is often old, fragile, and exposed to severe climatic constraints (rising damp, sand-laden winds, significant thermal variations) as well as a high seismic risk in several regions, the choice of restoration techniques is of strategic importance. It is not merely a matter of repairing a building, but of transmitting to future generations a living testimony of history and ancestral know-how. Mastery of these techniques also makes it possible to reconcile the preservation of authenticity with adaptation to contemporary needs (comfort, safety, accessibility), while promoting the involvement of local craftsmen and the transmission of traditional skills.

This chapter successively examines :

- the intervention principles that guide all technical decisions;
- the compatibility between old and new materials, an essential condition for durability;
- traditional construction techniques that ensure the authenticity of the craft;
- contemporary consolidation techniques that provide modern solutions while remaining discreet and respectful.

Mastering these methods is a fundamental skill for any architect, engineer, contractor, or craftsman involved in architectural restoration and rehabilitation. Indeed, it is through the quality of the techniques implemented that respect for the heritage values identified during the diagnostic phase is concretely expressed.

1. Intervention Principles

Intervention principles constitute the essential ethical and methodological framework for any restoration operation. They are not vague recommendations, but fundamental rules derived from international charters (notably the Venice Charter of 1964 and the Burra Charter of 2013) and Algerian legislation (Law No. 98-04 of June 15, 1998). These principles ensure that any intervention respects the authenticity, integrity, and heritage value of the building while enabling effective and sustainable action.

1.1.Principle of Minimal Intervention

The principle of minimal intervention requires acting as little as possible and only when strictly necessary. Any action that is not essential should be avoided. As stated in the Venice Charter (Article 9), restoration must stop at the point where conjecture begins and should be limited to what is necessary to preserve and reveal the aesthetic and historical values of the monument. In practice, this means prioritizing preventive maintenance over heavy works and intervening only on genuinely deteriorated parts.

1.2.Principle of Reversibility

Any intervention must be reversible, meaning it should be possible to undo it in the future without causing irreversible damage to the original structure. This principle allows for the correction of potential errors or adaptation to new requirements. For example, the use of tie rods or injectable resins must be designed so they can be removed without altering the original masonry. Reversibility reflects a precautionary approach and respect for future generations (Australia ICOMOS, 2013).

1.3.Principle of Compatibility

New materials and techniques must be physically, chemically, and mechanically compatible with the original materials. Incompatible materials (such as Portland cement applied to stone or earthen masonry) can lead to cracking, salt efflorescence, or accelerated deterioration. In Algeria, this principle is crucial: lime-based mortars (aerial or hydraulic), local stones, and traditional plasters are preferred because they allow the building to "breathe" and naturally evacuate moisture.

1.4.Principle of Differentiation and Legibility

Restored parts must be distinguishable from the original ones, both in terms of materials and aesthetic treatment. This avoids historical falsification and allows future observers to clearly identify what belongs to the original heritage and what has been added during restoration. This principle, often referred to as "legibility," is a cornerstone of the scientific approach to restoration (ICOMOS, 1964).

1.5.Principle of Documentation

Each stage of the intervention must be rigorously documented (before/after photographs, surveys, technical sheets, analysis reports). This documentation becomes part of the heritage itself, as it allows tracking the building's evolution and justifying technical choices. In Algeria, any state-funded restoration project must include a complete documentation file submitted to the National Agency for the Protection of Sites and Historic Monuments.

These five principles are not independent; they form a coherent whole that guides every technical decision. Their rigorous application helps avoid past mistakes (such as excessive stylistic restorations or incompatible interventions) and ensures that restoration remains an act of transmission rather than destruction.

Intervention principles are not administrative constraints, but ethical tools that ensure respect for heritage. They directly inform the selection of materials and practical techniques that will be presented in the following sections.

2. Material Compatibility

Material compatibility is one of the most critical and technical principles of restoration. It consists of ensuring that any material introduced during an intervention (mortar, stone, plaster, consolidation materials) is physically, chemically, and mechanically compatible with the building's original materials. Even slight incompatibility can lead to accelerated deterioration, sometimes irreversible, which compromises the authenticity and durability of the heritage asset (ICOMOS, 1964).

This principle derives directly from the Venice Charter, which requires that interventions be compatible with the monument and must not cause any alteration to its original substance. In Algeria, Law No. 98-04 of June 15, 1998, also mandates this compatibility for any restoration project funded or authorized by public authorities.

2.1.Physical and Mechanical Compatibility

Physical and mechanical compatibility concerns porosity, permeability, compressive strength, and the thermal expansion coefficient of materials. A new mortar that is too rigid or too impermeable (such as Portland cement) prevents the old wall from "breathing" and leads to cracking or salt efflorescence. Conversely, a mortar that is too weak may not provide sufficient structural cohesion.

In practice, the following are preferred:

- mortars based on aerial lime or natural hydraulic lime (NHL), whose strength and porosity are close to those of traditional masonry;
- local stones or bricks with density and porosity similar to the original materials.

In Algeria, this principle is particularly important in medinas and ksour, where stone or adobe walls are highly sensitive to moisture. The use of cement in the 1970s–1990s often caused significant damage, leading today to costly de-cementing campaigns.

2.2.Chemical Compatibility

Chemical compatibility prevents harmful reactions between old and new materials. For example, cement releases soluble salts that migrate into the stone and cause destructive crystallization. Lime-based renders, on the other hand, are alkaline and naturally protect masonry against mold and biological growth.

Laboratory analyses (particle size distribution, chemical composition, pH) are used to verify this compatibility before any intervention. In Algeria, laboratories such as the National Center for Archaeological Research (CNRA) and university laboratories regularly carry out these tests for projects in the Casbah of Algiers, Tipasa, and the M'Zab oasis.

2.3.Aesthetic and Heritage Compatibility

Beyond technical aspects, compatibility must also be aesthetic and heritage-related. New materials must not alter the visual appearance of the building (colour, texture, patina). Renders must be applied with the same granulometry and finish as the historical plasters, and joints must respect the original style.

This principle of "discretion" is essential to maintain the historical legibility of the monument, in accordance with the Burra Charter, which emphasizes the respect of the cultural and social values of the place.

Concrete examples in Algeria

In the Casbah of Algiers, rehabilitation projects systematically use aerial lime mortars proportioned according to laboratory analyses to avoid the disorders observed in the 1980s.

In the ksour of the M'Zab Valley, the restoration of rammed earth and adobe walls favors traditional earth-based renders mixed with sieved soil and straw, in order to preserve the natural breathability of the walls and the authentic appearance of the façades.

Material compatibility is therefore not an additional technical constraint, but an essential condition for durability and respect for heritage. It directly informs the choice of traditional and contemporary techniques that will be detailed in the following sections.

3. Traditional Construction Techniques

Traditional construction techniques play a central role in the restoration of architectural heritage. They are not merely ancient methods reproduced out of nostalgia; they represent the most authentic and durable means of preserving the spirit, materiality, and know-how of the original building. Their use ensures full compatibility with existing materials, guarantees the natural breathability of masonry, and transmits to future generations skills and knowledge that form part of intangible heritage (UNESCO, 2003) (Figure 20).

In Algeria, where vernacular and historic architecture is highly diverse (medinas, ksour, Ottoman houses, Saharan architecture), mastering these techniques is a major challenge. It makes it possible to reconcile authenticity, durability, and the involvement of local craftsmen, while avoiding the deterioration often caused by the widespread use of modern materials



Figure 20 : Terrace Architecture (Arabic: Algeria). Source Kassou, Y. et al (2024).

3.1.Traditional Masonry

Traditional masonry forms the structural basis of most historic buildings in Algeria. It includes:

- stone masonry in ashlar or rubble (limestone, sandstone, or basalt depending on the region), laid dry or with lime mortar (Figure 21);
- brick masonry (particularly in the northern Tell regions);
- timber or stone bonding and anchoring techniques that ensure overall cohesion.

During restoration, care is taken to reproduce the same bonding pattern, jointing, and wall thickness as in the original structure. In Algeria, this technique is commonly used in the Casbah of Algiers and in the ksour of the M'Zab Valley to reconstruct collapsed sections while preserving both the appearance and the mechanical strength of the building.



Figure 21: A masonry wall made of local stone coated with lime plaster. Source https://algerie-architecture.com/la-maison-du-mzab/

3.2. Lime Plasters and Lime Washes

Traditional plasters made of aerial or hydraulic lime are essential for protecting masonry while allowing it to breathe. They are composed of lime, fine sand, and sometimes vegetal fibers (such as chopped straw). They are generally applied in several layers: a rough base coat, followed by a smoothed or floated finishing layer, and finally a lime wash, either white or coloured.

These plasters have the advantage of being compatible with historic substrates, regulating moisture, and offering strong resistance to climatic variations. In Algeria, they are particularly well suited to the façades of medinas and traditional houses in cities such as Constantine or Tlemcen, where they contribute to the distinctive appearance of historic urban fabrics.

3.3.Traditional Roof Structures and Roofing Systems

Timber roof structures (made of cedar, Aleppo pine, or eucalyptus depending on the region) and traditional roofing systems (canal tiles, terracotta tiles, or stone slabs) are an integral part of Algerian architectural heritage. Their restoration involves replacing damaged elements with timber of the same species and section, as well as repairing tiles or slabs using the original construction techniques.

In Saharan regions, traditional flat roofs made of compacted earth (toub) are also used, with a waterproofing system based on lime mixed with animal or vegetable fat. These techniques are commonly applied in the rehabilitation of houses in the Casbah of Algiers and in the ksour of southern Algeria.

3.4.Rammed Earth and Earthen Construction Techniques

Earthen construction techniques are particularly representative of Algeria's vernacular heritage. Rammed earth (soil compacted within formwork), adobe (sun-dried earthen bricks), and wattle and daub (earth mixed with straw applied over a structural framework) are widely used in ksour, oasis settlements, and certain regions of the Tell.

Their restoration requires a high level of expertise: careful preparation of soil with appropriate grain size distribution, the addition of natural stabilizers (lime, sand), and application according to traditional construction rules. These techniques are not only ecological and economical, but they also provide excellent thermal regulation, which is highly valued in the Algerian climate (Figure 22).



Figure 22: A massive structure. Source: https://craterre.org/documents/20241205_Patrimoine_Final.pdf

Advantages of Traditional Techniques

The use of traditional techniques offers numerous advantages: perfect compatibility with original materials, often lower costs compared to modern solutions, transmission of know-how to young craftsmen, and respect for the aesthetic and historical character of the building. They also contribute to the enhancement of intangible heritage as recognized by the UNESCO 2003 Convention.

In conclusion, traditional techniques are not methods of the past, but tools for the future of authentic and sustainable restoration. They directly pave the way for the use of contemporary consolidation techniques, which will be discussed in the following section.

4. Contemporary Consolidation Techniques

Contemporary consolidation techniques complement traditional methods when they are insufficient to ensure the stability of a building, particularly in cases of advanced structural pathologies, seismic risk, or severe deterioration. These modern techniques are designed to be discreet, reversible, and fully compatible with historic materials, in accordance with the ethical principles of the Venice Charter and the Burra Charter. They provide high-performance technical solutions while respecting the authenticity and visual integrity of the monument (ICOMOS, 1964; Australia ICOMOS, 2013).

In Algeria, where many historic buildings are exposed to high seismic risk (in the Tellian and northern regions) as well as severe environmental constraints, these techniques have become strategically important. They are applied with caution and only after a thorough diagnosis, in order to avoid any excessive intervention that could alter the heritage character of the building.

4.1. Grout and Resin Injections

The injection of lime-based grouts or low-viscosity epoxy resins makes it possible to fill voids, cracks, and cavities within masonry without dismantling it. Lime-based grouts are preferred because they maintain good permeability and chemical compatibility with historic materials. Resins are used sparingly in highly deteriorated zones (Figure 23).

.



Figure 23 : Structural consolidation by injection. Source : https://produits.batiactu.com/produits/uretek-consolidation-de-sols-de-fondations-deep-injection-75001.php

4.2. Strengthening with Tie Rods and Discreet Ring Beams

Stainless steel or carbon fiber tie rods are installed within walls or floor systems to absorb tensile forces and prevent the widening of cracks. These elements are invisible once installed and can be prestressed to restore structural cohesion. This technique is particularly well suited for discreet seismic strengthening.

4.3.Fiber-Reinforced Polymer (FRP) Strengthening Techniques

Carbon or glass fibers (FRP) are bonded or anchored to the surfaces of walls, vaults, or floors in order to increase their load-bearing capacity without adding significant weight. These materials offer very high mechanical strength while remaining extremely light and thin. They are reversible and do not alter the appearance of the building.

This technique is increasingly used in Algeria for the strengthening of vaults and timber floors in traditional houses in Constantine and Annaba.

4.4. Drainage and Drying Systems

Contemporary drainage techniques (peripheral drains, waterproof barriers, hydrophobic resin injections) effectively combat rising damp and water infiltration. These systems are designed to be invisible and reversible.

In Algeria, where humidity is one of the main causes of deterioration (especially in coastal areas and oases), these techniques have helped save numerous buildings in the Casbah of Algiers and in the ksour of southern Algeria.

4.5. Advantages and Limitations of Contemporary Techniques

Contemporary techniques offer numerous advantages: rapid execution, discreet intervention, high mechanical performance, and the possibility of strengthening without dismantling. However, they must be used with caution. Their high cost, reliance on advanced technical expertise, and the risk of overdesign (which may excessively stiffen the structure) require careful judgment. They never replace traditional techniques but rather complement them when the latter reach their limits.

In conclusion, contemporary consolidation techniques are a valuable and modern tool in the service of restoration. They make it possible to solve complex structural problems while respecting the intervention principles outlined in section 7.1. Their judicious use, always based on accurate diagnosis and verified compatibility, directly supports the rehabilitation and adaptive reuse of historic buildings, which will be addressed in the next chapter.

Conclusion

Restoration techniques and methods represent the practical and concrete outcome of any architectural heritage conservation project. This chapter has shown that restoration cannot be reduced to a simple technical repair; rather, it is based on a coherent set of ethical principles (minimal intervention, reversibility, compatibility, differentiation, and documentation) and on a judicious balance between traditional and contemporary techniques.

Traditional techniques (stone or earthen masonry, lime plasters, timber structures, and tiled roofing systems) help preserve authenticity, patina, and ancestral know-how, while contemporary consolidation techniques (grout injections, discreet tie rods, composite fibers, and drainage systems) provide high-performance solutions for structural pathologies and seismic risk. Their intelligent combination, always based on a rigorous diagnosis and verified material compatibility, ensures both the durability of the building and respect for its heritage value.

In Algeria, where the built heritage is rich but often fragile and exposed to specific climatic and seismic constraints, mastering these techniques is a major challenge. It not only helps save endangered buildings but also ensures the transmission of a living, authentic heritage adapted to contemporary needs.

This chapter directly prepares the next one, devoted to the rehabilitation and adaptive reuse of historic buildings. Indeed, once a building has been consolidated and restored, it becomes possible to adapt it to new uses while preserving its cultural identity. Restoration is therefore not an end in itself; it is the essential step that opens the way to the active and sustainable valorization of heritage.

Course 8: Rehabilitation and Adaptive Reuse of Historic Buildings

Introduction

After consolidating and restoring an old building using the techniques and methods presented in the previous chapter, it becomes possible to give it a new life while preserving its authenticity and integrity. This chapter is entirely devoted to rehabilitation and adaptive reuse, two complementary strategies that make it possible to adapt the built heritage to contemporary needs and uses without altering its historical, architectural, social, and cultural values.

Rehabilitation and adaptive reuse are not simple "upgrading" or technical modernization operations. They constitute a true act of transmission and valorization of heritage. They aim to keep the building alive, make it useful to contemporary society, and ensure its long-term preservation while strictly respecting the ethical principles defined by international charters (Venice, Washington, Burra) and by Algerian legislation (Law No. 98-04 of June 15, 1998). Any intervention must be reversible, discreet, and compatible with the materials and spirit of the original building.

In Algeria, where many historic buildings are still inhabited or underused, these strategies are of strategic importance. They help combat deterioration, revitalize historic centers, preserve living urban fabrics, and contribute to sustainable urban development. They also offer a concrete response to current challenges: improving occupants' comfort, creating cultural or tourist spaces, converting former industrial buildings, and strengthening social cohesion.

This cour examines successively:

- functional rehabilitation, which adapts the building to a new or improved function while preserving its identity;
- adaptation to contemporary uses, which integrates modern equipment in a harmonious way;
- technical upgrading (safety, accessibility, energy performance, and seismic resistance);
- and finally concrete examples of interventions in Algeria (rehabilitation of historic centers, conversion of industrial buildings, and rehabilitation of residential heritage).

Mastering these strategies is essential for any professional in architectural restoration and rehabilitation. They show that heritage preservation is not an end in itself, but a means of transmitting a living heritage that is useful and adapted to the realities of our time.

1. Functional Rehabilitation

Functional rehabilitation is one of the most common and appropriate strategies for Algeria's built heritage. It consists of adapting an old building to a new or improved function while preserving its structure, external appearance, significant architectural elements, and heritage values. Unlike pure restoration, which mainly aims to return a building to a previous state, functional rehabilitation seeks to make the asset compatible with contemporary requirements and lifestyles without altering its character (ICOMOS, 1987).

1.1. Definition and Objectives

Functional rehabilitation aims to keep the building in use while improving its comfort, safety, and functionality. The main objective is to preserve the physical and cultural integrity of the asset while enabling it to meet the current needs of users. It prioritizes light, reversible, and discreet interventions that do not alter either the historical appearance or the original spatial organization. This approach fully aligns with the principles of the Washington Charter, which recommends the harmonious adaptation of historic buildings to contemporary life.

In Algeria, where many historic buildings are still inhabited or in use, functional rehabilitation is often the most realistic and sustainable strategy. It helps combat vacancy, accelerated deterioration, and abandonment while maintaining active life within historic centers.

1.2.Principles and Methods

Functional rehabilitation is based on several key principles:

- Respect for authenticity: any modification must be minimal and reversible;
- Discretion of interventions: modern facilities (sanitary installations, kitchens, electrical networks) are inserted in an invisible or integrated manner within existing spaces;
- Improvement of comfort: enhanced natural ventilation, discreet thermal insulation, and optimized natural lighting;
- Progressive adaptation: works are carried out in phases to minimize disruption for occupants.

The most common methods include the creation of modern bathrooms and kitchens in secondary spaces, the arrangement of multifunctional rooms, the installation of reversible heating and cooling systems, and the improvement of accessibility (ramps, discreet elevators).

1.3. Concrete Examples in Algeria

In Algeria, functional rehabilitation is particularly well developed in historic urban fabrics. In the Casbah of Algiers, many traditional houses have been rehabilitated to become comfortable family dwellings again while preserving courtyards, mashrabiya screens, painted wooden ceilings, and plaster decorations. Light interventions have made it possible to install functional bathrooms and kitchens without affecting façades or decorative elements.

In Constantine, several Ottoman-era houses in the medina have undergone functional rehabilitation to accommodate both residents and cultural activities (small museums, craft workshops). These projects have helped maintain a human presence while significantly improving living conditions.

In the ksour of the M'Zab Valley, functional rehabilitation has been applied to traditional houses to adapt them to modern life (discreet installation of solar panels, improved ventilation, and creation of workspaces) while preserving the spatial organization around the central courtyard and traditional irrigation systems.

These examples show that functional rehabilitation is not a simple modernization process, but a balanced approach that keeps buildings alive and useful to society while respecting their heritage identity.

This strategy directly prepares for the broader adaptation to contemporary uses, which will be addressed in the next section.

2. Adaptation to Contemporary Uses

Adaptation to contemporary uses goes beyond simple functional rehabilitation. It consists of harmoniously integrating modern equipment and facilities into a historic building in order to fully meet the requirements of present-day life, while preserving its architectural, historical, and cultural integrity. This strategy makes it possible to transform a heritage building into a truly living and useful space for today's society, without altering its character (ICOMOS, 1987).

2.1. Definition and Objectives

Adaptation to contemporary uses aims to reconcile two seemingly contradictory requirements: preserving the building's authenticity while enabling it to fulfill modern functions (comfortable housing, workspaces, cultural facilities, tourism, or commercial activities). The objective is to make heritage habitable, functional, and attractive while respecting its heritage values. Unlike heavy renovation that may erase historical identity, this adaptation must remain discreet, reversible, and compatible with the original materials and spatial organization.

In Algeria, this approach is particularly relevant because many historic buildings are still occupied or have strong potential for reuse. It helps combat vacancy, accelerated deterioration, and abandonment while improving residents' quality of life and enhancing heritage value for visitors.

2.2. Principles and Methods

Adaptation to contemporary uses is based on several fundamental principles:

- **Discretion and integration:** modern equipment (electricity, plumbing, heating, air conditioning, digital networks) must be inserted in an invisible or integrated way within existing spaces (linings, false ceilings, concealed technical ducts).
- **Reversibility:** any modification must be reversible without damaging the original building.
- **Technical and aesthetic compatibility:** new systems must be physically and visually compatible with historic materials.
- **Improvement of comfort and performance:** discreet thermal and acoustic insulation, optimized natural ventilation, LED lighting, and smart energy management.

The most commonly used methods include the creation of technical shafts within non-load-bearing partitions, the installation of reversible heating and cooling systems (heat pumps), the improvement of insulation without affecting façades, and the installation of digital equipment (fiber optics, Wi-Fi) without altering the historic appearance.

3. Technical Upgrading

Technical upgrading is an essential and often complex step in the rehabilitation and adaptive reuse of historic buildings. It aims to ensure the safety, accessibility, and performance of heritage structures while respecting their authenticity and integrity (ICOMOS, 1987). Unlike new construction renovation, upgrading within heritage buildings must be carried out with great discretion so as not to alter the historical appearance, original materials, or spatial organization of the building (Law No. 98-04, 1998).

In Algeria, this upgrading process is governed by the Building and Housing Code, the revised seismic regulations RPA 99/2003, as well as fire safety and accessibility standards. It represents a real technical and ethical challenge: reconciling modern regulatory requirements with the preservation of heritage values.

3.1. Fire Safety

Fire safety is an absolute priority. It includes smoke extraction, compartmentalization of spaces, the creation of appropriate emergency exits, and the installation of detection and extinguishing systems. In dense urban fabrics such as the Casbah of Algiers or the medina of Constantine, these measures must be particularly discreet (integrated technical ducts, camouflaged fire-rated doors). The Washington Charter (1987) emphasizes that safety must not compromise the historic character of the area.

3.2. Accessibility for Persons with Reduced Mobility

Accessibility is now a legal requirement. It involves the provision of ramps, discreet elevators, adapted sanitary facilities, and accessible circulation paths. In historic buildings, these interventions are often carried out within courtyards or secondary spaces in order to preserve façades and decorative elements. In Algeria, this compliance is particularly important in rehabilitation projects in the Casbah of Algiers and historic centers, where many traditional houses are being adapted to accommodate elderly people or persons with reduced mobility (Ministry of Culture, 2018).

3.3.Energy and Environmental Performance

Energy performance aims to reduce energy consumption while maintaining comfort. It includes discreet thermal insulation (internal or lining systems), the installation of compatible double-glazed windows, LED lighting, and smart management of building systems. These interventions must remain reversible and must not affect the natural breathability of historic masonry. In Algeria, where the climate is highly contrasted, this energy adaptation is essential to make historic buildings more attractive and economically viable.

3.4. Seismic reinforcement

Given the high seismic risk in several regions of the country, seismic strengthening is a major technical requirement. It relies on discreet techniques such as invisible ring beams, stainless steel tie rods, or carbon fiber reinforcement sheets. These works are carried out in accordance with the revised seismic regulations RPA 99/2003 and must be validated by a prior structural diagnosis (Law No. 98-04, 1998). **Mise en œuvre en contexte algérien**

3.5.Implementation in the Algerian Context

In Algeria, technical upgrading must always be preceded by a compatibility study and a detailed diagnosis. Projects in the Casbah of Algiers, the medina of Constantine, and the ksour of the M'Zab Valley show that these standards can be successfully applied when they are integrated in a creative and heritage-respectful manner. However, high costs and technical complexity remain major challenges, particularly in dense urban fabrics.

This technical upgrading directly prepares the concrete intervention examples that will be presented in the next section.

4. Examples of Interventions

To concretely illustrate the principles of rehabilitation and adaptive reuse presented in this chapter, it is useful to examine real cases implemented in Algeria. These examples show how strategies of functional rehabilitation, adaptation to contemporary uses, and compliance with technical standards are applied in practice, while respecting heritage values and local constraints (Law No. 98-04, 1998; ICOMOS, 1987).

4.1. Rehabilitation of Historic Centers

The rehabilitation of historic centers is one of the most emblematic operations in Algeria. It aims to revitalize old urban fabrics while improving the living conditions of residents.

Casbah of Algiers: Several traditional houses have been rehabilitated **within the framework of** the Safeguard and Enhancement Plan (PSMV) (Figure 24). The interventions included the functional rehabilitation of housing (introduction of discreet modern sanitary facilities and kitchens), adaptation to contemporary uses (integration of technical ducts and internal thermal insulation), and compliance with standards (discreet seismic reinforcement and improved accessibility). These works have made it possible to maintain families in their neighborhood while preserving patios, moucharabiehs, and plaster decorations (Ministry of Culture, 2018).



Figure 23: Rehabilitation of the Casbah. Source : https://elwatan.dz/rehabilitation-de-la-casbah-une-prise-en-charge-immediate-est-une-urgence/

4.2.Adaptive Reuse of Industrial Buildings

The adaptive reuse of industrial buildings makes it possible to preserve important testimonies of technical heritage while assigning them new cultural or economic functions.

4.3.Rehabilitation of Residential Heritage

The rehabilitation of residential heritage concerns traditional houses and old buildings that are still inhabited.

Ottoman houses in the Casbah of Algiers: Many dwellings have been rehabilitated to become comfortable family homes once again. The works included the restoration of patios, the adaptation of interior spaces (creation of modern bedrooms and bathrooms), and compliance with seismic and energy standards. These interventions have helped maintain a strong residential presence while improving the quality of life of inhabitants.

Traditional houses in the M'Zab Valley: In the ksour of Ghardaïa, earthen houses have been rehabilitated using traditional techniques (rammed earth and lime plaster) while integrating modern equipment (discreet solar panels and water recovery systems). This has made the housing more attractive to younger generations without altering the cultural identity of the site, which is listed as a World Heritage Site.

These examples show that residential rehabilitation is a powerful lever for preserving living urban fabrics and transmitting traditional know-how.

Conclusion

The rehabilitation and adaptive reuse of historic buildings represent the concrete and dynamic culmination of the process of safeguarding architectural heritage. This chapter has shown that these two strategies make it possible to move from simple static preservation to active and sustainable enhancement, by adapting historic buildings to the requirements and uses of contemporary society while strictly respecting their authenticity, integrity, and cultural value.

Through functional rehabilitation, adaptation to contemporary uses, compliance with technical standards, and the many concrete examples presented (Casbah of Algiers, Medina of Constantine, ksour of the M'Zab Valley, adaptive reuse of industrial buildings), we have seen that these interventions require a subtle balance between innovation and respect for the past. In Algeria, where the built heritage is both rich and living, yet often threatened by rapid

urbanization, rehabilitation and adaptive reuse constitute essential tools for revitalizing historic centers, maintaining local populations, and creating new social, cultural, and economic functions.

This chapter concludes the course by demonstrating that restoration and rehabilitation are not ends in themselves, but means serving a broader objective: transmitting a living, useful, and context-adapted heritage to future generations. From the theoretical definition of heritage (Chapter 1) to concrete on-site interventions, the course has highlighted a comprehensive and coherent vision of architectural conservation.

Thus, rehabilitation and adaptive reuse are not merely technical processes; they are the expression of a collective responsibility toward Algerian cultural heritage. They invite professionals, decision-makers, and communities to rethink heritage not as a static object of the past, but as a dynamic common good serving both the present and the future.

General Conclusion

Architectural heritage constitutes a fundamental component of the cultural identity and collective memory of societies. It is not limited to objects of the past, but represents a living system of historical, cultural, social, aesthetic, and symbolic values that evolve over time and across contexts. Its safeguarding therefore goes beyond simple material conservation and is part of a broader approach of understanding, transmission, and enhancement.

This course has highlighted that heritage is a dynamic construction resulting from a process of social recognition. The values attributed to it play a decisive role in its protection and guide intervention choices. This approach requires a critical and multidimensional reading of historic buildings, taking into account their authenticity, integrity, and capacity to adapt to contemporary uses.

The study of theoretical frameworks and intervention practices has shown that any action on heritage must be preceded by a rigorous analysis based on scientific, ethical, and regulatory principles. Diagnosis, restoration, rehabilitation, and adaptive reuse therefore constitute complementary approaches aimed at ensuring the continuity of historic buildings while providing them with new functions compatible with their characteristics.

In the Algerian context, where built heritage is rich but subject to strong urban, social, and environmental pressures, these approaches are particularly significant. They make it possible to reconcile the preservation of historic centers and traditional architecture with contemporary needs for development, housing, and modernization. They also contribute to strengthening local identity, enhancing traditional know-how, and promoting more sustainable urban development.

Ultimately, intervention on architectural heritage cannot be reduced to a purely technical act. It is an act of cultural and social responsibility that engages collective memory and contributes to shaping the future. Preserving heritage thus means maintaining a living link between past, present, and future, while ensuring its continuity within contemporary societies.

Bibliography

Australia ICOMOS. (2013). *The Burra Charter: The Australia ICOMOS charter for places of cultural significance*. https://australia.icomos.org

Babelon, J.-P., & Chastel, A. (1994). *La notion de patrimoine*. Liana Levi.

Boito, C. (1893). Questioni pratiche di belle arti: restauri, concorsi, legislazione, professione, insegnamento. GB Paravia.

Choay, F. (1992). L'allégorie du patrimoine, éditions du seuil. Paris, mai.

Choay, F. (2001). *The invention of the historic monument*. Cambridge University Press.

Feilden, B. (2007). Conservation of historic buildings. Routledge.

Benhamou, F. C., & Cornu, M. (2011). Le patrimoine culturel au risque de l'immatériel: enjeux juridiques, culturels, économiques: actes du colloque organisé par l'Institut national du patrimoine à Paris les 3 et 4 avril 2008.ICOMOS. (1931). *Athens Charter for the restoration of historic monuments*.

ICOMOS. (1964). *International charter for the conservation and restoration of monuments and sites (Venice Charter)*. https://www.icomos.org/charters/venice_e.pdf

ICOMOS. (1987). *Charter for the conservation of historic towns and urban areas (Washington Charter)*. https://www.icomos.org/en/charters-and-texts

ICOMOS. (2013). *The Burra Charter: Guidelines for heritage conservation*. https://australia.icomos.org

Jokilehto, J. (2017). A history of architectural conservation. Routledge.

Jokilehto, J. (2007). International charters on urban conservation: some thoughts on the principles expressed in current international doctrine.

Lowenthal, D. (1985). *The past is a foreign country*. Cambridge University Press.

Lowenthal, D. (1998). *The heritage crusade and the spoils of history*. Cambridge University Press.

Ministère de la Culture (Algeria). (1998). *Law No. 98-04 on the protection of cultural heritage*. Official Journal of the Algerian Republic.

Ministry of Culture (France). (2013). *Cultural heritage policy and development*. French Ministry of Culture.

Pomian, K. (1987). *Collectionneurs, amateurs et curieux : Paris, Venise, XVIe–XVIIIe siècle*. Gallimard.

Riegl, A. (1903). *Der moderne Denkmalkultus*. W. Braumüller.

Riegl, A. (1996). *The modern cult of monuments: Its essence and its development*. In *Historical and Philosophical Issues in the Conservation of Cultural Heritage*.

Ruskin, J. (1885). *The seven lamps of architecture*. John B. Alden.

Schofield, J. (2014). *Who needs experts? Counter-mapping cultural heritage*. Routledge.

UNESCO. (1972). *Convention concerning the protection of the world cultural and natural heritage*. https://whc.unesco.org/en/conventiontext/

UNESCO. (2003). *Convention for the safeguarding of the intangible cultural heritage*. https://ich.unesco.org

UNESCO World Heritage Centre. (2024). *Kasbah of Algiers*. https://whc.unesco.org/en/list/565/

UNESCO World Heritage Centre. (2024). *M'Zab Valley*. https://whc.unesco.org/en/list/188/

UNESCO World Heritage Centre. (2024). *Tassili n'Ajjer National Park*. https://whc.unesco.org/en/list/179/

Viollet-le-Duc, E. E. (1854). *Dictionnaire raisonné de l'architecture française du XIe au XVIe siècle*. Bance.

https://lechodalgerie.dz/consecration-de-plusieurs-annees-de-labeur-lalgerie-porte-son-patrimoine-materiel-a-luniversalite/

https://www.brgm.fr/en/news/press-release/research-development-agreement-restore-dame-cathedral-paris

https://worldlist.vision/africa/algeria/tassili-najjer-national-park.phtml

https://www.lexpressiondz.com/nationale/ghardaia-restaure-ses-ksour-396278

Source: https://www.cntravellerme.com/story/getting-lost-in-algiers-historic-casbah

https://generationvoyage.fr/villages-fortifies-vallee-mzab/

https://www.theoutsiders.travel/inspiration/lieu/djurdjura/

https://voyage-en-algerie.com/visiter-tamanrasset-hoggar-assekrem/

https://creativech-toolkit.salzburgresearch.at/casestudy_type/industrial-heritage/

https://www.kayak.fr/Machu-Picchu.45618.guide

https://travel.gaijinpot.com/shirakawa-go-and-gokayama/

https://www.castlesintheworld.com/algeria/tipasa/

https://molon.fr/Algerie/Constantine-tourisme/Medina/#img=DSC_0129.jpg

https://algeriepatrimoine.wordpress.com/2020/10/11/la-medina-de-tlemcen/

https://www.reparabat.fr/pathologies/

https://radmat.com/projects/tate-modern-extension/

https://www.mdpi.com/2220-9964/8/2/53

https://www.mdpi.com/1996-1944/13/12/2873

https://algerie-architecture.com/la-maison-du-mzab/

https://craterre.org/documents/20241205_Patrimoine_Final.pdf

https://produits.batiactu.com/produits/uretek-consolidation-de-sols-de-fondations-deep-injection-75001.php

https://elwatan.dz/rehabilitation-de-la-casbah-une-prise-en-charge-immediate-est-une-urgence/