

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	212134004112			12.5	8.5	10.9	NORMALE
2	232334096411			15.5	10.5	13.5	NORMALE
3	222234040507			10.5	10.5	10.5	NORMALE
4	181834001061			7.25	10.0	8.35	NORMALE
5	212134005174			9.5	12.0	10.5	NORMALE
6	232334026106			6.0	12.75	8.7	NORMALE
7	232334072006			9.25	12.0	10.35	NORMALE
8	232334056209			10.75	10.5	10.65	NORMALE
9	232334025908			13.25	8.0	11.15	NORMALE
10	222234020905			14.5	11.5	13.3	NORMALE
11	232334004101			15.25	8.25	12.45	NORMALE
12	222234014607			7.75	9.25	8.35	NORMALE
13	232334028004			11.5	12.5	11.9	NORMALE
14	222234025508			7.25	4.5	6.15	NORMALE
15	232334056208			0.5	11.25	4.8	NORMALE
16	232334004314			11.75	10.75	11.35	NORMALE
17	222234025511			10.55	10.55	10.55	NORMALE
18	232334026408			3.75	11.5	6.85	NORMALE
19	222234025701			3.0	10.25	5.9	NORMALE
20	212134004270			6.25	0.0	3.75	NORMALE
21	232334027001			9.75	0.0	5.85	NORMALE
22	232334090815			8.5	10.0	9.1	NORMALE
23	222234021302			13.0	11.75	12.5	NORMALE
24	232334063601			4.75	10.75	7.15	NORMALE
25	222234063413			5.0	10.5	7.2	NORMALE
26	232334072005			10.5	10.25	10.4	NORMALE
27	222234054801			11.5	11.25	11.4	NORMALE
28	232334063507			0.0	0.0	0.0	NORMALE
29	232334038217			6.0	11.0	8.0	NORMALE
30	232334096415			11.75	13.75	12.55	NORMALE
31	181834011800			0.0	0.0	0.0	NORMALE
32	232334015010			10.0	12.25	10.9	NORMALE
33	222234004003			5.0	11.75	7.7	NORMALE
34	232334072319			10.25	10.0	10.15	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	232334076910			5.5	10.0	7.3	NORMALE
2	232334037820			8.25	10.25	9.05	NORMALE
3	222234025503			7.75	9.5	8.45	NORMALE
4	232334074310			6.0	11.75	8.3	NORMALE
5	232334074307			7.25	13.0	9.55	NORMALE
6	232334061013			4.75	8.75	6.35	NORMALE
7	232334004503			9.5	10.0	9.7	NORMALE
8	232334040410			5.75	10.25	7.55	NORMALE
9	232334061012			7.5	10.5	8.7	NORMALE
10	222234047807			0.0	10.5	4.2	NORMALE
11	222234047701			10.25	8.0	9.35	NORMALE
12	222234004309			9.9	9.9	9.9	NORMALE
13	232334044207			6.25	9.25	7.45	NORMALE
14	222234004205			4.75	10.25	6.95	NORMALE
15	232334074304			3.25	10.5	6.15	NORMALE
16	222234003906			10.75	0.0	6.45	NORMALE
17	222234004015			2.25	12.25	6.25	NORMALE
18	222234051505			8.0	8.75	8.3	NORMALE
19	212134008079			9.75	12.25	10.75	NORMALE
20	232334026704			8.75	10.75	9.55	NORMALE
21	222234026009			10.25	10.0	10.15	NORMALE
22	222234015215			13.5	11.25	12.6	NORMALE
23	212134000762			2.25	12.25	6.25	NORMALE
24	232334037812			8.0	9.25	8.5	NORMALE
25	212134001703			0.0	0.0	0.0	NORMALE
26	232334006903			8.75	10.0	9.25	NORMALE
27	232334004815			12.75	10.0	11.65	NORMALE
28	232334025916			7.75	9.75	8.55	NORMALE
29	232334033015			9.5	10.0	9.7	NORMALE
30	222234014819			8.75	11.25	9.75	NORMALE
31	222234008509			15.0	8.75	12.5	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234035119			6.75	9.0	7.65	NORMALE
2	232334025917			7.75	10.0	8.65	NORMALE
3	222234007212			5.25	0.0	3.15	NORMALE
4	232334004618			9.25	10.5	9.75	NORMALE
5	181834001446			0.0	0.0	0.0	NORMALE
6	212234089401			4.25	9.5	6.35	NORMALE
7	232334026205			14.0	10.5	12.6	NORMALE
8	222234035420			7.75	10.0	8.65	NORMALE
9	222234040401			5.5	12.75	8.4	NORMALE
10	232334072015			10.75	10.0	10.45	NORMALE
11	232334038509			9.0	10.0	9.4	NORMALE
12	222234025401			10.0	10.0	10.0	NORMALE
13	232334051801			9.5	10.25	9.8	NORMALE
14	222234069409			7.0	9.25	7.9	NORMALE
15	212134002924			10.0	13.75	11.5	NORMALE
16	232334004704			9.25	11.0	9.95	NORMALE
17	212134009443			3.75	9.0	5.85	NORMALE
18	232334026112			4.0	8.5	5.8	NORMALE
19	232334006420			7.5	8.5	7.9	NORMALE
20	222234015314			7.5	9.0	8.1	NORMALE
21	232334025918			6.75	11.0	8.45	NORMALE
22	232334019601			13.25	11.5	12.55	NORMALE
23	232334056409			8.5	10.5	9.3	NORMALE
24	232334019310			16.75	17.0	16.85	NORMALE
25	232334026014			16.75	11.0	14.45	NORMALE
26	222234004517			4.75	10.25	6.95	NORMALE
27	222234004106			11.5	10.5	11.1	NORMALE
28	202034012442			10.0	10.0	10.0	NORMALE
29	212134002400			14.0	10.0	12.4	NORMALE
30	232334026013			7.0	8.75	7.7	NORMALE
31	232334077610			11.5	11.5	11.5	NORMALE
32	232334076901			13.0	12.5	12.8	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234040508			9.0	0.0	5.4	NORMALE
2	222234004306			4.5	6.0	5.1	NORMALE
3	222234015119			9.75	10.0	9.85	NORMALE
4	222234015408			17.0	12.0	15.0	NORMALE
5	212134001298			10.0	14.25	11.7	NORMALE
6	212134000693			11.25	0.0	6.75	NORMALE
7	232334004310			4.5	9.25	6.4	NORMALE
8	232334027008			0.0	7.0	2.8	NORMALE
9	232334030407			8.0	8.5	8.2	NORMALE
10	222234044403			8.0	8.75	8.3	NORMALE
11	232334052002			4.5	10.0	6.7	NORMALE
12	222234014703			7.5	10.5	8.7	NORMALE
13	222234025506			7.5	9.0	8.1	NORMALE
14	191934005194			3.0	10.0	5.8	NORMALE
15	212134007060			10.0	10.0	10.0	NORMALE
16	232334094411			11.0	10.25	10.7	NORMALE
17	222234067208			0.0	11.25	4.5	NORMALE
18	191934006193			0.0	0.0	0.0	NORMALE
19	222234054810			11.5	10.25	11.0	NORMALE
20	232334005813			5.75	8.5	6.85	NORMALE
21	222234063018			7.75	7.5	7.65	NORMALE
22	222234040420			10.0	11.0	10.4	NORMALE
23	222234040519			10.5	10.75	10.6	NORMALE
24	222234025902			5.25	8.75	6.65	NORMALE
25	181834007314			5.75	6.25	5.95	NORMALE
26	232334096107			8.5	14.5	10.9	NORMALE
27	232334026413			11.0	7.25	9.5	NORMALE
28	232334077107			8.0	8.75	8.3	NORMALE
29	232334056705			0.0	0.0	0.0	NORMALE
30	232334056204			11.75	13.0	12.25	NORMALE
31	232334004917			6.75	9.75	7.95	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	212134004112			11.0	8.25	9.9	NORMALE
2	232334096411			14.0	18.75	15.9	NORMALE
3	222234040507			4.5	15.0	8.7	NORMALE
4	181834001061			2.0	0.0	1.2	NORMALE
5	212134005174			5.0	12.25	7.9	NORMALE
6	232334026106			4.5	14.75	8.6	NORMALE
7	232334072006			2.0	14.25	6.9	NORMALE
8	232334056209			7.0	13.75	9.7	NORMALE
9	232334025908			4.0	14.25	8.1	NORMALE
10	222234020905			11.0	13.25	11.9	NORMALE
11	232334004101			11.0	14.25	12.3	NORMALE
12	222234014607			5.5	15.5	9.5	NORMALE
13	232334028004			5.0	13.25	8.3	NORMALE
14	222234025508			0.0	0.0	0.0	NORMALE
15	232334056208			5.5	14.25	9.0	NORMALE
16	232334004314			6.0	14.0	9.2	NORMALE
17	222234025511			0.0	0.0	0.0	NORMALE
18	232334026408			4.5	14.25	8.4	NORMALE
19	222234025701			4.4	12.75	7.74	NORMALE
20	212134004270			5.0	0.0	3.0	NORMALE
21	232334027001			5.0	14.75	8.9	NORMALE
22	232334090815			5.0	0.0	3.0	NORMALE
23	222234021302			6.0	12.0	8.4	NORMALE
24	232334063601			2.0	12.75	6.3	NORMALE
25	222234063413			6.0	12.75	8.7	NORMALE
26	232334072005			7.5	15.75	10.8	NORMALE
27	222234054801			7.0	14.5	10.0	NORMALE
28	232334063507			0.0	0.0	0.0	NORMALE
29	232334038217			4.0	13.75	7.9	NORMALE
30	232334096415			10.0	18.0	13.2	NORMALE
31	181834011800			0.0	0.0	0.0	NORMALE
32	232334015010			4.5	15.75	9.0	NORMALE
33	222234004003			3.0	14.25	7.5	NORMALE
34	232334072319			7.0	15.75	10.5	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	232334076910			3.5	12.75	7.2	NORMALE
2	232334037820			4.5	13.5	8.1	NORMALE
3	222234025503			11.0	12.0	11.4	NORMALE
4	232334074310			4.0	14.5	8.2	NORMALE
5	232334074307			5.0	14.75	8.9	NORMALE
6	232334061013			6.0	12.25	8.5	NORMALE
7	232334004503			7.0	13.75	9.7	NORMALE
8	232334040410			5.5	12.75	8.4	NORMALE
9	232334061012			5.0	13.25	8.3	NORMALE
10	222234047807			5.5	12.75	8.4	NORMALE
11	222234047701			2.0	12.25	6.1	NORMALE
12	222234004309			0.0	8.7	3.48	NORMALE
13	232334044207			1.0	11.75	5.3	NORMALE
14	222234004205			2.0	13.25	6.5	NORMALE
15	232334074304			4.0	13.25	7.7	NORMALE
16	222234003906			0.0	10.7	4.28	NORMALE
17	222234004015			4.5	14.5	8.5	NORMALE
18	222234051505			5.0	12.75	8.1	NORMALE
19	212134008079			0.0	10.8	4.32	NORMALE
20	232334026704			5.5	13.75	8.8	NORMALE
21	222234026009			8.0	13.25	10.1	NORMALE
22	222234015215			10.0	16.75	12.7	NORMALE
23	212134000762			7.0	14.25	9.9	NORMALE
24	232334037812			6.0	13.5	9.0	NORMALE
25	212134001703			0.0	0.0	0.0	NORMALE
26	232334006903			5.5	12.25	8.2	NORMALE
27	232334004815			5.5	14.25	9.0	NORMALE
28	232334025916			4.4	14.75	8.54	NORMALE
29	232334033015			5.5	14.25	9.0	NORMALE
30	222234014819			8.0	15.75	11.1	NORMALE
31	222234008509			13.0	14.25	13.5	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234035119			5.0	13.75	8.5	NORMALE
2	232334025917			5.0	14.25	8.7	NORMALE
3	222234007212			4.0	0.0	2.4	NORMALE
4	232334004618			6.0	15.0	9.6	NORMALE
5	181834001446			0.0	0.0	0.0	NORMALE
6	212234089401			4.0	12.5	7.4	NORMALE
7	232334026205			6.0	13.25	8.9	NORMALE
8	222234035420			8.0	12.75	9.9	NORMALE
9	222234040401			10.0	14.0	11.6	NORMALE
10	232334072015			5.0	13.5	8.4	NORMALE
11	232334038509			10.5	12.5	11.3	NORMALE
12	222234025401			7.0	16.25	10.7	NORMALE
13	232334051801			2.0	13.75	6.7	NORMALE
14	222234069409			5.0	13.0	8.2	NORMALE
15	212134002924			6.0	14.25	9.3	NORMALE
16	232334004704			7.0	13.25	9.5	NORMALE
17	212134009443			6.0	12.75	8.7	NORMALE
18	232334026112			2.0	11.75	5.9	NORMALE
19	232334006420			12.0	8.5	10.6	NORMALE
20	222234015314			1.0	14.0	6.2	NORMALE
21	232334025918			1.5	13.75	6.4	NORMALE
22	232334019601			5.0	15.25	9.1	NORMALE
23	232334056409			7.0	15.0	10.2	NORMALE
24	232334019310			11.0	14.25	12.3	NORMALE
25	232334026014			4.0	14.25	8.1	NORMALE
26	222234004517			8.0	13.0	10.0	NORMALE
27	222234004106			6.0	12.75	8.7	NORMALE
28	202034012442			0.0	14.75	5.9	NORMALE
29	212134002400			12.0	15.5	13.4	NORMALE
30	232334026013			3.0	13.0	7.0	NORMALE
31	232334077610			11.0	12.25	11.5	NORMALE
32	232334076901			5.0	12.75	8.1	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234040508			2.0	14.5	7.0	NORMALE
2	222234004306			3.0	0.0	1.8	NORMALE
3	222234015119			8.0	13.75	10.3	NORMALE
4	222234015408			5.0	15.0	9.0	NORMALE
5	212134001298			11.0	14.75	12.5	NORMALE
6	212134000693			4.0	15.5	8.6	NORMALE
7	232334004310			3.0	14.25	7.5	NORMALE
8	232334027008			0.0	12.75	5.1	NORMALE
9	232334030407			5.0	14.75	8.9	NORMALE
10	222234044403			5.0	14.75	8.9	NORMALE
11	232334052002			1.5	10.0	4.9	NORMALE
12	222234014703			7.0	15.0	10.2	NORMALE
13	222234025506			4.0	11.75	7.1	NORMALE
14	191934005194			4.0	15.75	8.7	NORMALE
15	212134007060			4.0	8.25	5.7	NORMALE
16	232334094411			8.0	13.75	10.3	NORMALE
17	222234067208			5.0	16.25	9.5	NORMALE
18	191934006193			0.0	0.0	0.0	NORMALE
19	222234054810			7.0	14.75	10.1	NORMALE
20	232334005813			4.0	14.25	8.1	NORMALE
21	222234063018			4.0	15.25	8.5	NORMALE
22	222234040420			3.0	15.75	8.1	NORMALE
23	222234040519			3.0	15.25	7.9	NORMALE
24	222234025902			5.0	12.25	7.9	NORMALE
25	181834007314			7.0	12.5	9.2	NORMALE
26	232334096107			7.0	16.5	10.8	NORMALE
27	232334026413			5.0	11.25	7.5	NORMALE
28	232334077107			10.0	16.75	12.7	NORMALE
29	232334056705			0.0	0.0	0.0	NORMALE
30	232334056204			10.0	14.25	11.7	NORMALE
31	232334004917			5.0	13.75	8.5	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	212134004112			0.0	12.0	12.0	NORMALE
2	232334096411			0.0	18.0	18.0	NORMALE
3	222234040507			0.0	14.0	14.0	NORMALE
4	181834001061			0.0	10.0	10.0	NORMALE
5	212134005174			0.0	10.0	10.0	NORMALE
6	232334026106			0.0	15.0	15.0	NORMALE
7	232334072006			0.0	16.5	16.5	NORMALE
8	232334056209			0.0	16.75	16.75	NORMALE
9	232334025908			0.0	16.5	16.5	NORMALE
10	222234020905			0.0	16.75	16.75	NORMALE
11	232334004101			0.0	16.25	16.25	NORMALE
12	222234014607			0.0	15.5	15.5	NORMALE
13	232334028004			0.0	16.5	16.5	NORMALE
14	222234025508			0.0	13.5	13.5	NORMALE
15	232334056208			0.0	17.0	17.0	NORMALE
16	232334004314			0.0	15.0	15.0	NORMALE
17	222234025511			0.0	16.0	16.0	NORMALE
18	232334026408			0.0	17.0	17.0	NORMALE
19	222234025701			0.0	12.5	12.5	NORMALE
20	212134004270			0.0	0.0	0.0	NORMALE
21	232334027001			0.0	16.5	16.5	NORMALE
22	232334090815			0.0	15.5	15.5	NORMALE
23	222234021302			0.0	17.5	17.5	NORMALE
24	232334063601			0.0	16.0	16.0	NORMALE
25	222234063413			0.0	15.25	15.25	NORMALE
26	232334072005			0.0	18.5	18.5	NORMALE
27	222234054801			0.0	16.75	16.75	NORMALE
28	232334063507			0.0	0.0	0.0	NORMALE
29	232334038217			0.0	16.25	16.25	NORMALE
30	232334096415			0.0	18.0	18.0	NORMALE
31	181834011800			0.0	0.0	0.0	NORMALE
32	232334015010			0.0	17.0	17.0	NORMALE
33	222234004003			0.0	12.25	12.25	NORMALE
34	232334072319			0.0	18.75	18.75	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	232334076910			0.0	15.25	15.25	NORMALE
2	232334037820			0.0	13.0	13.0	NORMALE
3	222234025503			0.0	12.0	12.0	NORMALE
4	232334074310			0.0	17.0	17.0	NORMALE
5	232334074307			0.0	14.0	14.0	NORMALE
6	232334061013			0.0	11.0	11.0	NORMALE
7	232334004503			0.0	12.25	12.25	NORMALE
8	232334040410			0.0	16.5	16.5	NORMALE
9	232334061012			0.0	12.0	12.0	NORMALE
10	222234047807			0.0	10.5	10.5	NORMALE
11	222234047701			0.0	15.0	15.0	NORMALE
12	222234004309			0.0	11.25	11.25	NORMALE
13	232334044207			0.0	14.75	14.75	NORMALE
14	222234004205			0.0	12.5	12.5	NORMALE
15	232334074304			0.0	13.75	13.75	NORMALE
16	222234003906			0.0	0.0	0.0	NORMALE
17	222234004015			0.0	14.25	14.25	NORMALE
18	222234051505			0.0	14.0	14.0	NORMALE
19	212134008079			0.0	11.75	11.75	NORMALE
20	232334026704			0.0	13.75	13.75	NORMALE
21	222234026009			0.0	14.0	14.0	NORMALE
22	222234015215			0.0	17.75	17.75	NORMALE
23	212134000762			0.0	13.75	13.75	NORMALE
24	232334037812			0.0	15.75	15.75	NORMALE
25	212134001703			0.0	0.0	0.0	NORMALE
26	232334006903			0.0	16.25	16.25	NORMALE
27	232334004815			0.0	16.0	16.0	NORMALE
28	232334025916			0.0	17.25	17.25	NORMALE
29	232334033015			0.0	17.0	17.0	NORMALE
30	222234014819			0.0	18.0	18.0	NORMALE
31	222234008509			0.0	15.75	15.75	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234035119			0.0	14.5	14.5	NORMALE
2	232334025917			0.0	0.0	0.0	NORMALE
3	222234007212			0.0	0.0	0.0	NORMALE
4	232334004618			0.0	15.25	15.25	NORMALE
5	181834001446			0.0	0.0	0.0	NORMALE
6	212234089401			0.0	10.75	10.75	NORMALE
7	232334026205			0.0	15.75	15.75	NORMALE
8	222234035420			0.0	12.75	12.75	NORMALE
9	222234040401			0.0	12.5	12.5	NORMALE
10	232334072015			0.0	16.5	16.5	NORMALE
11	232334038509			0.0	17.0	17.0	NORMALE
12	222234025401			0.0	10.75	10.75	NORMALE
13	232334051801			0.0	14.5	14.5	NORMALE
14	222234069409			0.0	15.5	15.5	NORMALE
15	212134002924			0.0	16.25	16.25	NORMALE
16	232334004704			0.0	17.75	17.75	NORMALE
17	212134009443			0.0	10.75	10.75	NORMALE
18	232334026112			0.0	13.5	13.5	NORMALE
19	232334006420			0.0	15.0	15.0	NORMALE
20	222234015314			0.0	15.5	15.5	NORMALE
21	232334025918			0.0	14.5	14.5	NORMALE
22	232334019601			0.0	15.25	15.25	NORMALE
23	232334056409			0.0	15.5	15.5	NORMALE
24	232334019310			0.0	14.5	14.5	NORMALE
25	232334026014			0.0	12.75	12.75	NORMALE
26	222234004517			0.0	15.75	15.75	NORMALE
27	222234004106			0.0	11.0	11.0	NORMALE
28	202034012442			0.0	15.5	15.5	NORMALE
29	212134002400			0.0	13.5	13.5	NORMALE
30	232334026013			0.0	13.75	13.75	NORMALE
31	232334077610			0.0	16.75	16.75	NORMALE
32	232334076901			0.0	15.75	15.75	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234040508			0.0	16.25	16.25	NORMALE
2	222234004306			0.0	16.25	16.25	NORMALE
3	222234015119			0.0	16.5	16.5	NORMALE
4	222234015408			0.0	17.75	17.75	NORMALE
5	212134001298			0.0	12.25	12.25	NORMALE
6	212134000693			0.0	14.0	14.0	NORMALE
7	232334004310			0.0	14.5	14.5	NORMALE
8	232334027008			0.0	15.5	15.5	NORMALE
9	232334030407			0.0	13.25	13.25	NORMALE
10	222234044403			0.0	16.25	16.25	NORMALE
11	232334052002			0.0	15.5	15.5	NORMALE
12	222234014703			0.0	14.25	14.25	NORMALE
13	222234025506			0.0	12.75	12.75	NORMALE
14	191934005194			0.0	16.0	16.0	NORMALE
15	212134007060			0.0	10.75	10.75	NORMALE
16	232334094411			0.0	17.5	17.5	NORMALE
17	222234067208			0.0	14.75	14.75	NORMALE
18	191934006193			0.0	15.0	15.0	NORMALE
19	222234054810			0.0	17.5	17.5	NORMALE
20	232334005813			0.0	17.0	17.0	NORMALE
21	222234063018			0.0	15.5	15.5	NORMALE
22	222234040420			0.0	17.5	17.5	NORMALE
23	222234040519			0.0	17.75	17.75	NORMALE
24	222234025902			0.0	12.0	12.0	NORMALE
25	181834007314			0.0	17.5	17.5	NORMALE
26	232334096107			0.0	15.75	15.75	NORMALE
27	232334026413			0.0	14.75	14.75	NORMALE
28	232334077107			0.0	15.0	15.0	NORMALE
29	232334056705			0.0	0.0	0.0	NORMALE
30	232334056204			0.0	12.0	12.0	NORMALE
31	232334004917			0.0	17.75	17.75	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	212134004112			0.0	0.0	0.0	NORMALE
2	232334096411			0.0	0.0	0.0	NORMALE
3	222234040507			0.0	0.0	0.0	NORMALE
4	181834001061			0.0	0.0	0.0	NORMALE
5	212134005174			0.0	0.0	0.0	NORMALE
6	232334026106			0.0	0.0	0.0	NORMALE
7	232334072006			0.0	0.0	0.0	NORMALE
8	232334056209			0.0	0.0	0.0	NORMALE
9	232334025908			0.0	0.0	0.0	NORMALE
10	222234020905			0.0	0.0	0.0	NORMALE
11	232334004101			0.0	0.0	0.0	NORMALE
12	222234014607			0.0	0.0	0.0	NORMALE
13	232334028004			0.0	0.0	0.0	NORMALE
14	222234025508			0.0	0.0	0.0	NORMALE
15	232334056208			0.0	0.0	0.0	NORMALE
16	232334004314			0.0	0.0	0.0	NORMALE
17	222234025511			0.0	0.0	0.0	NORMALE
18	232334026408			0.0	0.0	0.0	NORMALE
19	222234025701			0.0	0.0	0.0	NORMALE
20	212134004270			0.0	0.0	0.0	NORMALE
21	232334027001			0.0	0.0	0.0	NORMALE
22	232334090815			0.0	0.0	0.0	NORMALE
23	222234021302			0.0	0.0	0.0	NORMALE
24	232334063601			0.0	0.0	0.0	NORMALE
25	222234063413			0.0	0.0	0.0	NORMALE
26	232334072005			0.0	0.0	0.0	NORMALE
27	222234054801			0.0	0.0	0.0	NORMALE
28	232334063507			0.0	0.0	0.0	NORMALE
29	232334038217			0.0	0.0	0.0	NORMALE
30	232334096415			0.0	0.0	0.0	NORMALE
31	181834011800			0.0	0.0	0.0	NORMALE
32	232334015010			0.0	0.0	0.0	NORMALE
33	222234004003			0.0	0.0	0.0	NORMALE
34	232334072319			0.0	0.0	0.0	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	232334076910			0.0	0.0	0.0	NORMALE
2	232334037820			0.0	0.0	0.0	NORMALE
3	222234025503			0.0	0.0	0.0	NORMALE
4	232334074310			0.0	0.0	0.0	NORMALE
5	232334074307			0.0	0.0	0.0	NORMALE
6	232334061013			0.0	0.0	0.0	NORMALE
7	232334004503			0.0	0.0	0.0	NORMALE
8	232334040410			0.0	0.0	0.0	NORMALE
9	232334061012			0.0	0.0	0.0	NORMALE
10	222234047807			0.0	0.0	0.0	NORMALE
11	222234047701			0.0	0.0	0.0	NORMALE
12	222234004309			0.0	0.0	0.0	NORMALE
13	232334044207			0.0	0.0	0.0	NORMALE
14	222234004205			0.0	0.0	0.0	NORMALE
15	232334074304			0.0	0.0	0.0	NORMALE
16	222234003906			0.0	0.0	0.0	NORMALE
17	222234004015			0.0	0.0	0.0	NORMALE
18	222234051505			0.0	0.0	0.0	NORMALE
19	212134008079			0.0	0.0	0.0	NORMALE
20	232334026704			0.0	0.0	0.0	NORMALE
21	222234026009			0.0	0.0	0.0	NORMALE
22	222234015215			0.0	0.0	0.0	NORMALE
23	212134000762			0.0	0.0	0.0	NORMALE
24	232334037812			0.0	0.0	0.0	NORMALE
25	212134001703			0.0	0.0	0.0	NORMALE
26	232334006903			0.0	0.0	0.0	NORMALE
27	232334004815			0.0	0.0	0.0	NORMALE
28	232334025916			0.0	0.0	0.0	NORMALE
29	232334033015			0.0	0.0	0.0	NORMALE
30	222234014819			0.0	0.0	0.0	NORMALE
31	222234008509			0.0	0.0	0.0	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234035119			0.0	0.0	0.0	NORMALE
2	232334025917			0.0	0.0	0.0	NORMALE
3	222234007212			0.0	0.0	0.0	NORMALE
4	232334004618			0.0	0.0	0.0	NORMALE
5	181834001446			0.0	0.0	0.0	NORMALE
6	212234089401			0.0	0.0	0.0	NORMALE
7	232334026205			0.0	0.0	0.0	NORMALE
8	222234035420			0.0	0.0	0.0	NORMALE
9	222234040401			0.0	0.0	0.0	NORMALE
10	232334072015			0.0	0.0	0.0	NORMALE
11	232334038509			0.0	0.0	0.0	NORMALE
12	222234025401			0.0	0.0	0.0	NORMALE
13	232334051801			0.0	0.0	0.0	NORMALE
14	222234069409			0.0	0.0	0.0	NORMALE
15	212134002924			0.0	0.0	0.0	NORMALE
16	232334004704			0.0	0.0	0.0	NORMALE
17	212134009443			0.0	0.0	0.0	NORMALE
18	232334026112			0.0	0.0	0.0	NORMALE
19	232334006420			0.0	0.0	0.0	NORMALE
20	222234015314			0.0	0.0	0.0	NORMALE
21	232334025918			0.0	0.0	0.0	NORMALE
22	232334019601			0.0	0.0	0.0	NORMALE
23	232334056409			0.0	0.0	0.0	NORMALE
24	232334019310			0.0	0.0	0.0	NORMALE
25	232334026014			0.0	0.0	0.0	NORMALE
26	222234004517			0.0	0.0	0.0	NORMALE
27	222234004106			0.0	0.0	0.0	NORMALE
28	202034012442			0.0	0.0	0.0	NORMALE
29	212134002400			0.0	0.0	0.0	NORMALE
30	232334026013			0.0	0.0	0.0	NORMALE
31	232334077610			0.0	0.0	0.0	NORMALE
32	232334076901			0.0	0.0	0.0	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234040508			0.0	0.0	0.0	NORMALE
2	222234004306			0.0	0.0	0.0	NORMALE
3	222234015119			0.0	0.0	0.0	NORMALE
4	222234015408			0.0	0.0	0.0	NORMALE
5	212134001298			0.0	0.0	0.0	NORMALE
6	212134000693			0.0	0.0	0.0	NORMALE
7	232334004310			0.0	0.0	0.0	NORMALE
8	232334027008			0.0	0.0	0.0	NORMALE
9	232334030407			0.0	0.0	0.0	NORMALE
10	222234044403			0.0	0.0	0.0	NORMALE
11	232334052002			0.0	0.0	0.0	NORMALE
12	222234014703			0.0	0.0	0.0	NORMALE
13	222234025506			0.0	0.0	0.0	NORMALE
14	191934005194			0.0	0.0	0.0	NORMALE
15	212134007060			0.0	0.0	0.0	NORMALE
16	232334094411			0.0	0.0	0.0	NORMALE
17	222234067208			0.0	0.0	0.0	NORMALE
18	191934006193			0.0	0.0	0.0	NORMALE
19	222234054810			0.0	0.0	0.0	NORMALE
20	232334005813			0.0	0.0	0.0	NORMALE
21	222234063018			0.0	0.0	0.0	NORMALE
22	222234040420			0.0	0.0	0.0	NORMALE
23	222234040519			0.0	0.0	0.0	NORMALE
24	222234025902			0.0	0.0	0.0	NORMALE
25	181834007314			0.0	0.0	0.0	NORMALE
26	232334096107			0.0	0.0	0.0	NORMALE
27	232334026413			0.0	0.0	0.0	NORMALE
28	232334077107			0.0	0.0	0.0	NORMALE
29	232334056705			0.0	0.0	0.0	NORMALE
30	232334056204			0.0	0.0	0.0	NORMALE
31	232334004917			0.0	0.0	0.0	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	212134004112			0.0	10.2	4.08	NORMALE
2	232334096411			11.0	13.5	12.0	NORMALE
3	222234040507			0.0	10.2	4.08	NORMALE
4	181834001061			8.5	14.0	10.7	NORMALE
5	212134005174			7.0	15.0	10.2	NORMALE
6	232334026106			2.0	11.5	5.8	NORMALE
7	232334072006			4.5	12.0	7.5	NORMALE
8	232334056209			7.0	12.0	9.0	NORMALE
9	232334025908			3.0	13.0	7.0	NORMALE
10	222234020905			13.0	14.5	13.6	NORMALE
11	232334004101			12.0	11.5	11.8	NORMALE
12	222234014607			1.0	10.0	4.6	NORMALE
13	232334028004			10.0	14.0	11.6	NORMALE
14	222234025508			7.5	12.75	9.6	NORMALE
15	232334056208			8.5	11.75	9.8	NORMALE
16	232334004314			3.0	11.75	6.5	NORMALE
17	222234025511			10.0	15.5	12.2	NORMALE
18	232334026408			8.0	12.5	9.8	NORMALE
19	222234025701			0.0	10.2	4.08	NORMALE
20	212134004270			0.0	0.0	0.0	NORMALE
21	232334027001			5.0	14.0	8.6	NORMALE
22	232334090815			12.5	14.5	13.3	NORMALE
23	222234021302			10.0	13.5	11.4	NORMALE
24	232334063601			7.0	13.5	9.6	NORMALE
25	222234063413			5.0	11.5	7.6	NORMALE
26	232334072005			12.0	16.0	13.6	NORMALE
27	222234054801			7.0	12.25	9.1	NORMALE
28	232334063507			0.0	0.0	0.0	NORMALE
29	232334038217			12.0	12.0	12.0	NORMALE
30	232334096415			13.5	11.5	12.7	NORMALE
31	181834011800			0.0	0.0	0.0	NORMALE
32	232334015010			11.5	13.0	12.1	NORMALE
33	222234004003			0.0	11.0	4.4	NORMALE
34	232334072319			13.0	17.0	14.6	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	232334076910			6.0	14.5	9.4	NORMALE
2	232334037820			7.0	14.5	10.0	NORMALE
3	222234025503			0.0	11.0	4.4	NORMALE
4	232334074310			10.0	14.0	11.6	NORMALE
5	232334074307			3.0	11.5	6.4	NORMALE
6	232334061013			2.0	13.0	6.4	NORMALE
7	232334004503			4.0	13.0	7.6	NORMALE
8	232334040410			8.0	12.0	9.6	NORMALE
9	232334061012			3.0	13.0	7.0	NORMALE
10	222234047807			6.0	12.5	8.6	NORMALE
11	222234047701			8.5	13.0	10.3	NORMALE
12	222234004309			0.0	10.0	4.0	NORMALE
13	232334044207			1.0	11.0	5.0	NORMALE
14	222234004205			0.5	10.0	4.3	NORMALE
15	232334074304			3.0	11.0	6.2	NORMALE
16	222234003906			1.0	0.0	0.6	NORMALE
17	222234004015			0.5	13.0	5.5	NORMALE
18	222234051505			3.0	11.5	6.4	NORMALE
19	212134008079			2.0	13.0	6.4	NORMALE
20	232334026704			8.0	12.0	9.6	NORMALE
21	222234026009			2.0	12.0	6.0	NORMALE
22	222234015215			11.0	15.5	12.8	NORMALE
23	212134000762			2.0	16.0	7.6	NORMALE
24	232334037812			3.0	17.0	8.6	NORMALE
25	212134001703			0.0	0.0	0.0	NORMALE
26	232334006903			2.0	13.5	6.6	NORMALE
27	232334004815			10.5	11.5	10.9	NORMALE
28	232334025916			12.5	14.0	13.1	NORMALE
29	232334033015			5.0	11.0	7.4	NORMALE
30	222234014819			5.0	16.5	9.6	NORMALE
31	222234008509			11.5	16.5	13.5	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234035119			7.0	12.5	9.2	NORMALE
2	232334025917			2.0	0.0	1.2	NORMALE
3	222234007212			1.0	0.0	0.6	NORMALE
4	232334004618			4.0	14.5	8.2	NORMALE
5	181834001446			0.0	0.0	0.0	NORMALE
6	212234089401			2.0	12.5	6.2	NORMALE
7	232334026205			2.0	12.0	6.0	NORMALE
8	222234035420			5.0	13.0	8.2	NORMALE
9	222234040401			1.0	11.5	5.2	NORMALE
10	232334072015			14.0	14.5	14.2	NORMALE
11	232334038509			12.0	15.0	13.2	NORMALE
12	222234025401			1.0	12.5	5.6	NORMALE
13	232334051801			13.0	11.5	12.4	NORMALE
14	222234069409			2.0	10.0	5.2	NORMALE
15	212134002924			0.0	11.0	4.4	NORMALE
16	232334004704			10.5	12.0	11.1	NORMALE
17	212134009443			0.0	10.0	4.0	NORMALE
18	232334026112			2.0	11.0	5.6	NORMALE
19	232334006420			2.0	15.5	7.4	NORMALE
20	222234015314			0.0	16.0	6.4	NORMALE
21	232334025918			1.0	13.0	5.8	NORMALE
22	232334019601			8.0	16.0	11.2	NORMALE
23	232334056409			8.0	12.5	9.8	NORMALE
24	232334019310			15.0	16.5	15.6	NORMALE
25	232334026014			8.5	14.0	10.7	NORMALE
26	222234004517			5.0	12.0	7.8	NORMALE
27	222234004106			3.0	13.5	7.2	NORMALE
28	202034012442			0.0	10.0	4.0	NORMALE
29	212134002400			11.0	14.0	12.2	NORMALE
30	232334026013			1.0	11.0	5.0	NORMALE
31	232334077610			10.0	13.0	11.2	NORMALE
32	232334076901			11.0	14.0	12.2	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234040508			6.0	13.0	8.8	NORMALE
2	222234004306			0.0	10.4	4.16	NORMALE
3	222234015119			5.0	16.0	9.4	NORMALE
4	222234015408			6.0	16.5	10.2	NORMALE
5	212134001298			0.0	10.0	4.0	NORMALE
6	212134000693			0.0	14.0	5.6	NORMALE
7	232334004310			5.0	16.0	9.4	NORMALE
8	232334027008			3.0	11.0	6.2	NORMALE
9	232334030407			5.0	12.0	7.8	NORMALE
10	222234044403			1.0	10.5	4.8	NORMALE
11	232334052002			10.0	13.5	11.4	NORMALE
12	222234014703			8.0	14.5	10.6	NORMALE
13	222234025506			5.0	10.0	7.0	NORMALE
14	191934005194			10.5	13.5	11.7	NORMALE
15	212134007060			3.0	12.0	6.6	NORMALE
16	232334094411			7.0	13.5	9.6	NORMALE
17	222234067208			10.0	14.0	11.6	NORMALE
18	191934006193			2.0	11.0	5.6	NORMALE
19	222234054810			6.0	13.0	8.8	NORMALE
20	232334005813			2.5	11.0	5.9	NORMALE
21	222234063018			12.0	17.0	14.0	NORMALE
22	222234040420			6.0	15.0	9.6	NORMALE
23	222234040519			6.5	15.0	9.9	NORMALE
24	222234025902			10.0	11.0	10.4	NORMALE
25	181834007314			3.0	13.0	7.0	NORMALE
26	232334096107			7.0	11.0	8.6	NORMALE
27	232334026413			6.0	10.0	7.6	NORMALE
28	232334077107			8.5	16.0	11.5	NORMALE
29	232334056705			0.0	0.0	0.0	NORMALE
30	232334056204			0.5	13.0	5.5	NORMALE
31	232334004917			10.0	16.0	12.4	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	212134004112			0.0	0.0	0.0	NORMALE
2	232334096411			10.5	11.5	10.9	NORMALE
3	222234040507			2.5	10.5	5.7	NORMALE
4	181834001061			3.0	11.5	6.4	NORMALE
5	212134005174			1.0	13.0	5.8	NORMALE
6	232334026106			0.5	9.0	3.9	NORMALE
7	232334072006			7.0	13.0	9.4	NORMALE
8	232334056209			5.5	13.0	8.5	NORMALE
9	232334025908			5.0	10.0	7.0	NORMALE
10	222234020905			8.0	10.0	8.8	NORMALE
11	232334004101			10.0	13.75	11.5	NORMALE
12	222234014607			0.5	10.0	4.3	NORMALE
13	232334028004			7.5	10.5	8.7	NORMALE
14	222234025508			2.0	12.5	6.2	NORMALE
15	232334056208			7.0	10.0	8.2	NORMALE
16	232334004314			1.0	10.0	4.6	NORMALE
17	222234025511			5.0	10.0	7.0	NORMALE
18	232334026408			12.5	11.0	11.9	NORMALE
19	222234025701			2.0	10.5	5.4	NORMALE
20	212134004270			2.5	0.0	1.5	NORMALE
21	232334027001			2.0	13.0	6.4	NORMALE
22	232334090815			8.0	14.0	10.4	NORMALE
23	222234021302			7.0	9.0	7.8	NORMALE
24	232334063601			4.0	11.0	6.8	NORMALE
25	222234063413			2.5	10.0	5.5	NORMALE
26	232334072005			12.5	14.5	13.3	NORMALE
27	222234054801			0.5	10.0	4.3	NORMALE
28	232334063507			0.0	0.0	0.0	NORMALE
29	232334038217			7.0	9.0	7.8	NORMALE
30	232334096415			13.5	16.75	14.8	NORMALE
31	181834011800			0.0	0.0	0.0	NORMALE
32	232334015010			9.0	12.0	10.2	NORMALE
33	222234004003			1.0	10.0	4.6	NORMALE
34	232334072319			10.5	16.0	12.7	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	232334076910			7.5	16.5	11.1	NORMALE
2	232334037820			15.5	18.0	16.5	NORMALE
3	222234025503			2.0	10.0	5.2	NORMALE
4	232334074310			6.0	16.0	10.0	NORMALE
5	232334074307			1.5	10.0	4.9	NORMALE
6	232334061013			3.0	10.5	6.0	NORMALE
7	232334004503			12.0	15.5	13.4	NORMALE
8	232334040410			13.5	17.5	15.1	NORMALE
9	232334061012			3.0	12.5	6.8	NORMALE
10	222234047807			1.5	13.5	6.3	NORMALE
11	222234047701			8.0	14.0	10.4	NORMALE
12	222234004309			0.0	0.0	0.0	NORMALE
13	232334044207			0.5	10.0	4.3	NORMALE
14	222234004205			0.5	10.0	4.3	NORMALE
15	232334074304			0.5	11.0	4.7	NORMALE
16	222234003906			0.0	0.0	0.0	NORMALE
17	222234004015			0.5	10.0	4.3	NORMALE
18	222234051505			0.0	14.0	5.6	NORMALE
19	212134008079			3.0	12.5	6.8	NORMALE
20	232334026704			2.0	13.5	6.6	NORMALE
21	222234026009			3.5	13.5	7.5	NORMALE
22	222234015215			14.0	16.75	15.1	NORMALE
23	212134000762			4.5	12.0	7.5	NORMALE
24	232334037812			8.0	13.5	10.2	NORMALE
25	212134001703			0.0	0.0	0.0	NORMALE
26	232334006903			11.0	16.0	13.0	NORMALE
27	232334004815			11.5	16.5	13.5	NORMALE
28	232334025916			8.0	13.5	10.2	NORMALE
29	232334033015			10.0	14.5	11.8	NORMALE
30	222234014819			4.0	16.0	8.8	NORMALE
31	222234008509			11.0	17.5	13.6	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234035119			1.5	12.5	5.9	NORMALE
2	232334025917			1.0	13.25	5.9	NORMALE
3	222234007212			1.0	11.0	5.0	NORMALE
4	232334004618			10.0	0.0	6.0	NORMALE
5	181834001446			0.0	0.0	0.0	NORMALE
6	212234089401			5.0	11.0	7.4	NORMALE
7	232334026205			8.0	10.0	8.8	NORMALE
8	222234035420			0.0	0.0	0.0	NORMALE
9	222234040401			7.0	17.0	11.0	NORMALE
10	232334072015			15.0	15.5	15.2	NORMALE
11	232334038509			14.0	17.5	15.4	NORMALE
12	222234025401			2.0	10.75	5.5	NORMALE
13	232334051801			8.0	10.25	8.9	NORMALE
14	222234069409			3.0	11.5	6.4	NORMALE
15	212134002924			8.0	11.5	9.4	NORMALE
16	232334004704			10.5	12.5	11.3	NORMALE
17	212134009443			2.0	11.0	5.6	NORMALE
18	232334026112			0.5	10.5	4.5	NORMALE
19	232334006420			0.5	10.0	4.3	NORMALE
20	222234015314			5.0	11.0	7.4	NORMALE
21	232334025918			0.5	10.0	4.3	NORMALE
22	232334019601			12.5	13.5	12.9	NORMALE
23	232334056409			2.0	14.0	6.8	NORMALE
24	232334019310			11.0	17.5	13.6	NORMALE
25	232334026014			10.0	13.0	11.2	NORMALE
26	222234004517			11.0	10.0	10.6	NORMALE
27	222234004106			2.5	10.0	5.5	NORMALE
28	202034012442			0.0	10.0	4.0	NORMALE
29	212134002400			11.5	16.5	13.5	NORMALE
30	232334026013			0.5	10.0	4.3	NORMALE
31	232334077610			12.0	13.0	12.4	NORMALE
32	232334076901			7.5	13.0	9.7	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234040508			6.0	13.5	9.0	NORMALE
2	222234004306			0.0	12.0	4.8	NORMALE
3	222234015119			10.0	11.5	10.6	NORMALE
4	222234015408			11.5	11.0	11.3	NORMALE
5	212134001298			11.0	13.5	12.0	NORMALE
6	212134000693			4.0	10.0	6.4	NORMALE
7	232334004310			13.5	14.0	13.7	NORMALE
8	232334027008			1.0	10.0	4.6	NORMALE
9	232334030407			12.0	14.0	12.8	NORMALE
10	222234044403			1.0	10.0	4.6	NORMALE
11	232334052002			10.0	14.0	11.6	NORMALE
12	222234014703			5.0	11.0	7.4	NORMALE
13	222234025506			1.0	10.0	4.6	NORMALE
14	191934005194			5.0	11.5	7.6	NORMALE
15	212134007060			0.0	11.9	4.76	NORMALE
16	232334094411			8.5	12.5	10.1	NORMALE
17	222234067208			10.0	13.5	11.4	NORMALE
18	191934006193			2.0	10.0	5.2	NORMALE
19	222234054810			8.5	13.5	10.5	NORMALE
20	232334005813			4.0	11.0	6.8	NORMALE
21	222234063018			8.0	16.0	11.2	NORMALE
22	222234040420			9.0	18.0	12.6	NORMALE
23	222234040519			5.0	16.0	9.4	NORMALE
24	222234025902			1.0	10.5	4.8	NORMALE
25	181834007314			1.0	10.0	4.6	NORMALE
26	232334096107			10.0	18.0	13.2	NORMALE
27	232334026413			8.5	14.25	10.8	NORMALE
28	232334077107			6.0	14.5	9.4	NORMALE
29	232334056705			0.0	0.0	0.0	NORMALE
30	232334056204			7.5	10.0	8.5	NORMALE
31	232334004917			13.5	13.5	13.5	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	212134004112			0.0	10.6	4.24	NORMALE
2	232334096411			13.5	15.0	14.1	NORMALE
3	222234040507			0.0	12.2	4.88	NORMALE
4	181834001061			0.5	11.5	4.9	NORMALE
5	212134005174			0.0	14.5	5.8	NORMALE
6	232334026106			8.0	13.5	10.2	NORMALE
7	232334072006			11.75	15.75	13.35	NORMALE
8	232334056209			5.25	16.5	9.75	NORMALE
9	232334025908			12.0	14.0	12.8	NORMALE
10	222234020905			11.75	13.0	12.25	NORMALE
11	232334004101	I		11.25	14.5	12.55	NORMALE
12	222234014607			7.0	14.5	10.0	NORMALE
13	232334028004			16.0	14.0	15.2	NORMALE
14	222234025508			0.0	12.9	5.16	NORMALE
15	232334056208			14.5	16.0	15.1	NORMALE
16	232334004314			7.25	13.5	9.75	NORMALE
17	222234025511			0.0	10.1	4.04	NORMALE
18	232334026408			2.0	16.0	7.6	NORMALE
19	222234025701			0.0	11.6	4.64	NORMALE
20	212134004270			0.0	14.3	5.72	NORMALE
21	232334027001	I		7.0	12.0	9.0	NORMALE
22	232334090815			9.75	15.25	11.95	NORMALE
23	222234021302			13.0	15.5	14.0	NORMALE
24	232334063601			4.0	15.0	8.4	NORMALE
25	222234063413	B		2.25	14.0	6.95	NORMALE
26	232334072005			11.75	14.25	12.75	NORMALE
27	222234054801			9.75	15.0	11.85	NORMALE
28	232334063507			0.0	0.0	0.0	NORMALE
29	232334038217			3.0	11.0	6.2	NORMALE
30	232334096415			15.5	13.5	14.7	NORMALE
31	181834011800			0.0	0.0	0.0	NORMALE
32	232334015010			5.5	15.0	9.3	NORMALE
33	222234004003			0.75	15.0	6.45	NORMALE
34	232334072319			14.75	14.25	14.55	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	232334076910			9.25	16.0	11.95	NORMALE
2	232334037820			9.75	15.0	11.85	NORMALE
3	222234025503			2.75	11.5	6.25	NORMALE
4	232334074310			6.75	14.0	9.65	NORMALE
5	232334074307			6.25	14.0	9.35	NORMALE
6	232334061013			7.0	11.5	8.8	NORMALE
7	232334004503			9.75	13.0	11.05	NORMALE
8	232334040410			8.5	14.0	10.7	NORMALE
9	232334061012			4.75	12.5	7.85	NORMALE
10	222234047807			6.5	12.5	8.9	NORMALE
11	222234047701			0.0	12.3	4.92	NORMALE
12	222234004309			0.0	10.6	4.24	NORMALE
13	232334044207			1.0	11.0	5.0	NORMALE
14	222234004205			0.25	10.5	4.35	NORMALE
15	232334074304			1.75	13.0	6.25	NORMALE
16	222234003906			0.0	13.2	5.28	NORMALE
17	222234004015			1.5	11.5	5.5	NORMALE
18	222234051505			3.25	13.0	7.15	NORMALE
19	212134008079			0.0	12.2	4.88	NORMALE
20	232334026704			16.0	12.25	14.5	NORMALE
21	222234026009			0.0	11.2	4.48	NORMALE
22	222234015215			17.25	15.75	16.65	NORMALE
23	212134000762			12.0	12.0	12.0	NORMALE
24	232334037812			7.0	13.0	9.4	NORMALE
25	212134001703			0.0	0.0	0.0	NORMALE
26	232334006903			11.0	14.5	12.4	NORMALE
27	232334004815			12.25	15.5	13.55	NORMALE
28	232334025916			11.5	16.0	13.3	NORMALE
29	232334033015			15.0	17.0	15.8	NORMALE
30	222234014819			10.25	15.5	12.35	NORMALE
31	222234008509			14.75	12.5	13.85	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234035119			8.0	12.0	9.6	NORMALE
2	232334025917			3.25	11.25	6.45	NORMALE
3	222234007212			5.5	0.0	3.3	NORMALE
4	232334004618			11.25	13.0	11.95	NORMALE
5	181834001446			0.0	0.0	0.0	NORMALE
6	212234089401			10.25	13.0	11.35	NORMALE
7	232334026205			13.0	12.5	12.8	NORMALE
8	222234035420			0.0	10.2	4.08	NORMALE
9	222234040401			1.75	12.0	5.85	NORMALE
10	232334072015			14.25	12.5	13.55	NORMALE
11	232334038509			7.25	13.0	9.55	NORMALE
12	222234025401			0.0	14.6	5.84	NORMALE
13	232334051801			9.75	11.75	10.55	NORMALE
14	222234069409			7.5	13.5	9.9	NORMALE
15	212134002924			11.75	12.5	12.05	NORMALE
16	232334004704			5.0	13.0	8.2	NORMALE
17	212134009443			0.0	10.2	4.08	NORMALE
18	232334026112			6.5	11.5	8.5	NORMALE
19	232334006420			11.75	11.5	11.65	NORMALE
20	222234015314			0.0	12.0	4.8	NORMALE
21	232334025918			9.0	12.5	10.4	NORMALE
22	232334019601			12.0	15.0	13.2	NORMALE
23	232334056409			8.75	14.5	11.05	NORMALE
24	232334019310			14.5	14.0	14.3	NORMALE
25	232334026014			8.75	13.0	10.45	NORMALE
26	222234004517			6.75	12.0	8.85	NORMALE
27	222234004106			8.0	11.5	9.4	NORMALE
28	202034012442			0.0	10.38	4.15	NORMALE
29	212134002400			13.25	13.0	13.15	NORMALE
30	232334026013			5.75	12.0	8.25	NORMALE
31	232334077610			14.75	13.5	14.25	NORMALE
32	232334076901			8.25	13.5	10.35	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234040508			6.5	13.5	9.3	NORMALE
2	222234004306			0.0	12.5	5.0	NORMALE
3	222234015119			8.25	15.5	11.15	NORMALE
4	222234015408			16.0	14.5	15.4	NORMALE
5	212134001298			13.25	14.5	13.75	NORMALE
6	212134000693			1.25	14.0	6.35	NORMALE
7	232334004310			7.0	14.5	10.0	NORMALE
8	232334027008			2.25	13.5	6.75	NORMALE
9	232334030407			8.75	13.5	10.65	NORMALE
10	222234044403			6.75	12.75	9.15	NORMALE
11	232334052002			6.5	16.25	10.4	NORMALE
12	222234014703			10.25	14.75	12.05	NORMALE
13	222234025506			7.75	14.0	10.25	NORMALE
14	191934005194			7.75	12.5	9.65	NORMALE
15	212134007060			3.0	13.25	7.1	NORMALE
16	232334094411			10.25	15.75	12.45	NORMALE
17	222234067208			6.25	12.5	8.75	NORMALE
18	191934006193			0.0	10.8	4.32	NORMALE
19	222234054810			9.25	13.0	10.75	NORMALE
20	232334005813			6.0	15.5	9.8	NORMALE
21	222234063018			0.0	11.0	4.4	NORMALE
22	222234040420			5.25	13.0	8.35	NORMALE
23	222234040519			5.75	14.0	9.05	NORMALE
24	222234025902			4.25	12.0	7.35	NORMALE
25	181834007314			5.0	11.25	7.5	NORMALE
26	232334096107			7.5	14.75	10.4	NORMALE
27	232334026413			1.25	11.0	5.15	NORMALE
28	232334077107			11.75	13.5	12.45	NORMALE
29	232334056705			0.0	0.0	0.0	NORMALE
30	232334056204			5.75	8.0	6.65	NORMALE
31	232334004917			11.0	15.0	12.6	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	212134004112			0.0	8.5	3.4	NORMALE
2	232334096411			0.0	12.5	5.0	NORMALE
3	222234040507			0.0	0.0	0.0	NORMALE
4	181834001061			0.0	14.0	5.6	NORMALE
5	212134005174			0.0	12.0	4.8	NORMALE
6	232334026106			0.0	11.5	4.6	NORMALE
7	232334072006			0.0	13.5	5.4	NORMALE
8	232334056209			0.0	12.5	5.0	NORMALE
9	232334025908			0.0	10.0	4.0	NORMALE
10	222234020905			0.0	7.0	2.8	NORMALE
11	232334004101			0.0	6.0	2.4	NORMALE
12	222234014607			0.0	8.5	3.4	NORMALE
13	232334028004			0.0	14.5	5.8	NORMALE
14	222234025508			0.0	10.0	4.0	NORMALE
15	232334056208			0.0	13.0	5.2	NORMALE
16	232334004314			0.0	8.5	3.4	NORMALE
17	222234025511			0.0	13.0	5.2	NORMALE
18	232334026408			0.0	14.0	5.6	NORMALE
19	222234025701			0.0	0.0	0.0	NORMALE
20	212134004270			0.0	0.0	0.0	NORMALE
21	232334027001			0.0	9.0	3.6	NORMALE
22	232334090815			0.0	11.0	4.4	NORMALE
23	222234021302			0.0	7.5	3.0	NORMALE
24	232334063601			0.0	12.5	5.0	NORMALE
25	222234063413			0.0	12.0	4.8	NORMALE
26	232334072005			0.0	16.5	6.6	NORMALE
27	222234054801			0.0	10.0	4.0	NORMALE
28	232334063507			0.0	0.0	0.0	NORMALE
29	232334038217			0.0	17.5	7.0	NORMALE
30	232334096415			0.0	18.0	7.2	NORMALE
31	181834011800			0.0	0.0	0.0	NORMALE
32	232334015010			0.0	15.5	6.2	NORMALE
33	222234004003			0.0	5.0	2.0	NORMALE
34	232334072319			0.0	18.0	7.2	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	232334076910			0.0	13.0	5.2	NORMALE
2	232334037820			0.0	12.0	4.8	NORMALE
3	222234025503			0.0	8.0	3.2	NORMALE
4	232334074310			0.0	10.5	4.2	NORMALE
5	232334074307			0.0	10.0	4.0	NORMALE
6	232334061013			0.0	10.0	4.0	NORMALE
7	232334004503			0.0	14.0	5.6	NORMALE
8	232334040410			0.0	12.5	5.0	NORMALE
9	232334061012			0.0	11.0	4.4	NORMALE
10	222234047807			0.0	8.0	3.2	NORMALE
11	222234047701			0.0	12.8	5.12	NORMALE
12	222234004309			0.0	11.6	4.64	NORMALE
13	232334044207			0.0	8.0	3.2	NORMALE
14	222234004205			0.0	6.0	2.4	NORMALE
15	232334074304			0.0	10.5	4.2	NORMALE
16	222234003906			0.0	10.2	4.08	NORMALE
17	222234004015			0.0	10.0	4.0	NORMALE
18	222234051505			0.0	8.0	3.2	NORMALE
19	212134008079			0.0	10.0	4.0	NORMALE
20	232334026704			0.0	8.5	3.4	NORMALE
21	222234026009			0.0	11.0	4.4	NORMALE
22	222234015215			0.0	13.0	5.2	NORMALE
23	212134000762			0.0	10.5	4.2	NORMALE
24	232334037812			0.0	10.0	4.0	NORMALE
25	212134001703			0.0	0.0	0.0	NORMALE
26	232334006903			0.0	10.0	4.0	NORMALE
27	232334004815			0.0	10.0	4.0	NORMALE
28	232334025916			0.0	10.0	4.0	NORMALE
29	232334033015			0.0	10.0	4.0	NORMALE
30	222234014819			0.0	12.0	4.8	NORMALE
31	222234008509			0.0	10.0	4.0	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234035119	M. EL HACHIMI	EL HACHIMI	0.0	13.0	5.2	NORMALE
2	232334025917			0.0	7.0	2.8	NORMALE
3	222234007212			0.0	0.0	0.0	NORMALE
4	232334004618			0.0	8.5	3.4	NORMALE
5	181834001446			0.0	0.0	0.0	NORMALE
6	212234089401			0.0	12.0	4.8	NORMALE
7	232334026205			0.0	8.5	3.4	NORMALE
8	222234035420			0.0	11.0	4.4	NORMALE
9	222234040401			0.0	12.5	5.0	NORMALE
10	232334072015			0.0	8.5	3.4	NORMALE
11	232334038509			0.0	18.0	7.2	NORMALE
12	222234025401			0.0	10.5	4.2	NORMALE
13	232334051801			0.0	10.0	4.0	NORMALE
14	222234069409			0.0	11.0	4.4	NORMALE
15	212134002924			0.0	13.5	5.4	NORMALE
16	232334004704			0.0	13.5	5.4	NORMALE
17	212134009443			0.0	11.0	4.4	NORMALE
18	232334026112			0.0	10.0	4.0	NORMALE
19	232334006420			0.0	6.5	2.6	NORMALE
20	222234015314			0.0	11.0	4.4	NORMALE
21	232334025918			0.0	10.0	4.0	NORMALE
22	232334019601			0.0	12.0	4.8	NORMALE
23	232334056409			0.0	11.0	4.4	NORMALE
24	232334019310			0.0	18.0	7.2	NORMALE
25	232334026014			0.0	12.0	4.8	NORMALE
26	222234004517			0.0	10.0	4.0	NORMALE
27	222234004106			0.0	6.0	2.4	NORMALE
28	202034012442			0.0	9.0	3.6	NORMALE
29	212134002400			0.0	13.5	5.4	NORMALE
30	232334026013			0.0	10.0	4.0	NORMALE
31	232334077610			0.0	12.5	5.0	NORMALE
32	232334076901			0.0	12.0	4.8	NORMALE

PV de délibération par matière (Session normale)

#	Matricule	Nom	Prénom	Examen	CC	MG	Session
1	222234040508			0.0	11.0	4.4	NORMALE
2	222234004306			0.0	0.0	0.0	NORMALE
3	222234015119			0.0	11.0	4.4	NORMALE
4	222234015408			0.0	11.5	4.6	NORMALE
5	212134001298			0.0	13.0	5.2	NORMALE
6	212134000693			0.0	10.0	4.0	NORMALE
7	232334004310			0.0	10.0	4.0	NORMALE
8	232334027008			0.0	7.5	3.0	NORMALE
9	232334030407			0.0	8.5	3.4	NORMALE
10	222234044403			0.0	7.5	3.0	NORMALE
11	232334052002			0.0	10.0	4.0	NORMALE
12	222234014703			0.0	8.5	3.4	NORMALE
13	222234025506			0.0	8.5	3.4	NORMALE
14	191934005194			0.0	11.0	4.4	NORMALE
15	212134007060			0.0	10.0	4.0	NORMALE
16	232334094411			0.0	5.5	2.2	NORMALE
17	222234067208			0.0	11.0	4.4	NORMALE
18	191934006193			0.0	6.0	2.4	NORMALE
19	222234054810			0.0	12.0	4.8	NORMALE
20	232334005813			0.0	10.0	4.0	NORMALE
21	222234063018			0.0	13.5	5.4	NORMALE
22	222234040420			0.0	11.0	4.4	NORMALE
23	222234040519			0.0	12.0	4.8	NORMALE
24	222234025902			0.0	10.0	4.0	NORMALE
25	181834007314			0.0	7.5	3.0	NORMALE
26	232334096107			0.0	11.0	4.4	NORMALE
27	232334026413			0.0	8.5	3.4	NORMALE
28	232334077107			0.0	15.0	6.0	NORMALE
29	232334056705			0.0	0.0	0.0	NORMALE
30	232334056204			0.0	7.5	3.0	NORMALE
31	232334004917			0.0	11.5	4.6	NORMALE